




• Apps	2	PROFESSIONA		177	
ACOUSTIC GUITA	RS	Digital Recorders	77	CONTEN	115
Account Com		• DSR Series	78		
• L-Series	6	 DXR/DXS Series 	82		
• A-Series	12	• DBR Series	88		
APX Series	15	 Stagepas Series 	92		
SRT System	18	 Studio Monitors 	94		
CPX Acoustic	20	• HS Series	96		
• Folk Guitars with Pick-Up	22	 Passive Club V Series 	98	DTX DRUMS	
• Folk Guitars	24	 Passive BR Series 	100		
Electric Nylon	28	 Power Amps 	101	 DTX950MK 	142
• Grand Concert	31	• 01V96i	102	 DTX900MK 	143
Classical Guitars	33	 MGP Series 	106	• DTX750K	144
• Silent Guitars	38	 MG Series 	110	• DTX700K	145
		 Powered Mixers 	118	• DTX562K/542K	146
ELECTRIC GUITARS		 Signal Processors 	120	• DTX532K/522K	147
		 General Accessories 	122	• DTX450K	148
• SG Series	42			• DTX430K	149
Pacifica Mike Stern	44	MUSIC PRODUCTION		• DTX400K	150
Pacifica Series	45			• DTX-Multi 12	151
Starter Sets	52	• CP	125	• DTX Systems	152
• RGX	54	 Motif XF 	128	 MS Monitor Systems 	154
Semi Acoustic	57	• MOXF	132	 Accessories 	155
Guitar Amplification	58	• S Series	133		
Guitar Accessories	60	 MX61/MX49 	134	DRUMS	
		• Tenori-On	135		
ELECTRIC BASSES		 Motif-Rack XS 	136	• PHX	158
		Audiogram	137	 Absolute Hyprid Maple 	160
Billy Sheehan	64	 Accessories 	138	• Live Custom	162
Nathan East	65			 Stage Custom Birch 	164
John Pattitucci	66			• Gig Maker	166
• TRB Series	67			• HexrackII	168
TRBX Series	68			Hardware	170
BB Series	<i>7</i> 0			Hardware Packages	176
• RBX Series	74				

YAMAHA MUSIC APPS

Get more performance from your Yamaha instruments and mixers. With Yamaha's smart little helpers making music will be twice the fun! Applications that make sense for your creations and your emotions. Available from the App Store.



PIANO



PIANO DIARY

Your personal "piano playing diary". Record your own piano playing for later replay, make up your playing statistics and enjoy rewards for your continuous piano practice.



E3 CONTROLLER

Remote control for all instruments of the Disklavier E3 series. This application offers full functionality including the display of all controls of the Disklavier control unit.



DISKLAVIER CONTROLLER

A new app for Disklavier listeners who want more freedom in listening to their favorite songs or Disklavier radio channels.



RECORDING / PA



MGP EDITOR

MGP Editor gives you additional control of your MGP mixer's REV-X and SPX effects parameters.



M7CL STAGEMIX

M7CL StageMix is focused on the requirements for adjusting monitor mixes on stage via a wireless connection.



LS9 STAGEMIX

Remotely control your LS9 digital mixing console from anywhere within wireless range using a simple, intuitive graphical interface.



CLOUD AUDIO RECORDER

Cloud Audio Recorder allows you to record the sound of musical instruments to your iOS devices via the built- in microphone.



CL STAGEMIX

Provides remote control of Yamaha CL digital mixing console functions via a simple, intuitive graphical interface from anywhere within wireless range.



QL STAGEMIX

Provides remote control of Yamaha QL digital mixing console functions via a simple, intuitive graphical interface from anywhere within wireless range.



GENERAL



SET LIST ORGANIZER

Set List Organizer can be used to create the set list for a live performance, including program changes and texts for each song.



FADERS & XY PAD

Faders & XY Pad offers 8 sliders each with up to 3 control change parameters. A unique XY-Pad mode lets you control multiple faders.



FADERS

Control external MIDI devices by sending MIDI control change messages.



METRONOME

A metronome app built with all of the know-how that only Yamaha can provide. MIDI synchronization, Tap Tempo and easy one-handed control.



VISUAL PERFORMER

Visual Performer is an app for iPad/iPhone/iPod touch that creates visual animations from your MIDI-based performances.



SONG CHORDS

Song Chords pairs a MIDI song mixer with synchronized chord display for practice and performance.



DTX DRUMS



SONG BEATS

Song Beats makes it easy to learn to play the drums along with your favorite songs!



DTX400 DRUM LESSONS

Learn the basics of drumming and see how the DTX400 series can help anyone to get started playing the drums.



DTX400 TOUCH

Control an extensive range of parameters, allowing you to fine tune the Yamaha DTX400 series to precision.



GUITAR



THR SESSION

Learn songs faster and easier and play along with your music library like never before. THR Session will change your daily guitar practice forever.



PORTABLE KEYBOARD



NOTESTAR

Keyboard players can practice with a real band. The app provides easy-to-read sheet music, accompanied by audio tracks with vocals.



P-255 CONTROLLER

Adjust a wide range of the digital piano's functions in a highly intuitive manner. Store your favorite settings and recall them instantly whenever needed.



PAGE TURNER

It provides digital scores for all present songs stored in the EZ-220 and turns pages at the right time. This app can even record audio tracks of your playing and singing.



SCALE TUNER

Allows you to change the tuning of a compatible Yamaha keyboard or digital piano to Arabic or pure temperament tuning.



MY MUSIC RECORDER

My Music Recorder is a free application designed for parents to easily record, archive and share their children's daily musical performances.



SOUND CONTROLLER

Sound Controller offers extensive controls such as pitch, cutoff filters, reverb and chorus levels bringing new dimensions to your performance.



REPERTOIRE FINDER

Using Repertoire Finder you can quickly search and download new registration banks specifically for the song you want to play.



MUSICSOFT MANAGER

MusicSoft Manager manages your instrument content library from internal memory, connected storage devices, iPhone/iPad/iPod touch, computer and even Dropbox cloud storage services.





SYNTH



MULTI EDITOR ESSENTIAL

The Multi Editor Essential gives you all the tools you need to mix your Songs and Patterns of Yamaha synthesizers.



VOICE EDITOR ESSENTIAL

Voice Editor Essential is a simple editor application for editing the parameters in Yamaha synthesizers.



KEYBOARD ARP & DRUM PAD

 $\label{eq:Keyboard Arp \& Drum Pad includes a keyboard, arpeggiator and assignable drum pads.$



PERFORMANCE EDITOR ESSENTIAL

Performance Editor Essential enables you to edit the Performances of Yamaha synthesizers.



TNR.

The appeal of TNR-i isn't just limited to its faithful duplication of the TENORI-ON concept. Connected to a network, you can participate in sessions with up to four friends.



CLOUD AUDIO RECORDER FOR MOTIF XF

Cloud Audio Recorder for MOTIF XF allows you to record the sound of your MOTIF XF via Wi-Fi. The recorded data can be processed on the iOS device and shared on SoundCloud.



MOBILE MUSIC SEQUENCER

With built-in phrase patterns, this sequencer allows the user to intuitively create compositions in a manner that is in tune with the creative process by building up sections to build songs.



ΓNR-e

The new iOS version of the world-renowned TENORI-ON brings you 2 powerful master effect systems and 253 new tones that capture the essence of dub step, progressive house/EDM, electro and other types of music!



SYNTH ARP & DRUM PAD

Synth Arp & Drum Pad features an arpeggiator and drum pad that allows you to easily play the internal synthesizer or any connected MIDI device.



EXAMAKA

ACOUSTIC GUITARS

TRADITION, PASSION AND TECHNOLOGY

EUROPE.YAMAHA.COM



L56-SERIES

LJ56CUSTOM ARE, LL56CUSTOM ARE, LS56CUSTOM ARE

HANDCRAFTED

• Top: Solid Engelmann Spruce A.R.E.

Back & Sides: Solid Indian Rosewood

• Neck: 5-ply Mahogany & Rosewood

• Fingerboard, Bridge: Ebony

• Nut & Saddle Material: Bone

• Nut Width: 44 mm

• String Length: 650 mm (25 9/16")

• Form: LL-Shape 100-125 mm

• Hardware: TM-67G

• Coating: Nitro Laquer







SERIES









LL56CUSTOM ARE

LS56CUSTOM ARE

The **NEW YAMAHA L-SERIES** combines the very best of traditional and modern: a warm, rich tone, timeless looks, outstanding playability and performance ready electronics.

WHAT'S NEW?



ACOUSTIC RESONANCE ENHANCEMENT –

a patented process which gives the top of the guitar the appearance and sound of aged wood by altering the physical properties in the same way as time. ARE crystallises the cellulose fibers in the wood and breaks down the layer of hemicellulose that binds the cellulose together – both of these things allow the wood to vibrate more freely and give the tonal response of aged wood.

A.R.E. Explanation Video:



- New Zero Impact Passive Pickups fitted as standard to all models (L6-Series, L16-Series)
- All models only available in traditional, non-cutaway bodies



Tortoiseshell scratchplate



A.R.E treated Engelman Spruce Tops



5-ply Mahogany/Rosewood neck with newly developed slimmer neck profile



Mahogany or Rosewood -Back & Sides Option



New bracing design with lower strut height for increased low-end & volume

L36-SERIES



HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Indian Rosewood
- Neck: 5-ply Mahogany & Rosewood
- Fingerboard, Bridge: Ebony
- Nut & Saddle Material: Bone
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: LL-Shape 100-125 mm
- Hardware: SG-301-Y22
- Coating: Nitro Laquer







L26-SERIES

LJ26ARE, LL26ARE, LS26ARE

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony
- Nut & Saddle Material: Bone
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: LL-Shape 100-120 mm
- Hardware: SD700XG Open Gear Vintage Gold
- Coating: Polyurethane





HARD CASE

L16-SERIES



LJ16ARE, LL16ARE, LS16ARE

- Top: Solid Engelman Spruce, ARE treated
- Back & Sides: Solid Rosewood / Mahogany (LJ Rosewood only)
- Neck: 5-ply Mahogany & Rosewood
- Fingerboard & Bridge: Ebony
- Nut & Saddle Material: Urea
- Neck Width: 44 mm(0F)-55 mm(14F)
- Scale Length: 650 mm (LL16-12: 634 mm)
- Electronics: Zero Impact Passive Pickup
- Available as 12-string and left-hand model
- Mahogany models only available in natural finish
- Colours: Brown Sunburst, Natural









LS16ARE




THE NEW LL16D MODEL – MAPLE BINDING WITH HAND-INLAID ABALONE AND SNOWFLAKE FINGERBOARD INLAYS

SERIES

LL16D

- Top: Solid Engelman Spruce, ARE treated
- Back & Sides: Solid Rosewood
- Neck: 5-ply Mahogany & Rosewood
- Fingerboard & Bridge: Ebony
- Nut & Saddle Material: Urea
- Maple binding with hand-inlaid abalone
- Snowflake fingerboard inlays
- Neck Width: 44 mm(0F)-55 mm(14F)
- Scale Length: 650 mm
- Electronics: Zero Impact Passive Pickup
- Colours: Natural, Black





Maple binding with hand-inlaid abalone



Snowflake fingerboard inlays



Beautiful design

L6-SERIES



LJ6ARE





LL6ARE, LJ6ARE, LS6ARE

- Top: Solid Engelman Spruce, ARE treated
- Back & Sides: Rosewood / Mahogany (LJ Rosewood only)
- Neck: 5-ply Mahogany & Rosewood
- Fingerboard & Bridge: Rosewood
- Nut & Saddle Material: Urea
- Neck Width: 44 mm (0F) 55 mm (14F)
- Scale Length: 650 mm
- Electronics: Zero Impact Passive Pickup
- Mahogany models only available in natural finish
- Colours: Dark Tinted, Natural, Brown Sunburst, Black

A-SERIES: A NEW LOOK, A NEW FEEL, A NEW SOUND, A NEW GENERATION.

Built to perform, the A-SERIES is designed to meet the creative demands of today's acousticelectric guitarists, delivering incredible playability, superior sound, and true versatility. This new series features new neck profiles, gorgeous aesthetics and rich dynamic tones. Whether on stage, at home, or in the studio, these guitars deliver studio quality sound.






- Dreadnought With Cutaway
- Top: Solid Sitka Spruce
- Back & Sides: Solid Rosewood
- Neck: Mahogany
- Fingerboard: Ebony
- Bridge: Ebony
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Rosewood/Mahogany Sound Hole Rosette
- Rosewood Fingerboard Binding
- · Mahogany Body Binding
- SRT System 63 Modeling
- Pickup: SRT Piezo
- · Controls: Focus/Wide, Resonance, Blend, 3-Band EQ, A.F.R. (Auto Feedback Reduction), Chromatic Tuner
- Colours: Natural, Vintage Sunburst



STUDIO RESPONSE TECHNOLOGY - SRT

Using advanced Digital Signal Processing and real-world insight into audio technology and recording techniques, Yamaha have developed SRT – a pickup and preamp system capable of delivering an amazingly natural, studio quality acoustic guitar tone. Sounds that were, until now, only attainable by professional recording engineers using expensive vintage microphones in world-class acoustic spaces are now easily recreated by any player, on stage or in the studio.







AC3R

CONCERT-SIZE WITH CUTAWAY BODY

• Top: Solid Sitka Spruce

• Back & Sides: Solid Rosewood

Neck: MahoganyFingerboard: Ebony

Bridge: Ebony

• Rosewood/Mahogany Sound Hole Rosette

• Rosewood Fingerboard Binding

• Mahogany Body Binding


• SRT System 63 Modeling Preamp

Pickup: SRT PiezoNut Width: 43 mm

• String Length: 650 mm (25 9/16")

Controls: Focus/Wide, Resonance, Blend,
 3-Band EQ, A.F.R. (Auto Feedback Reduction),
 Chromatic Tuner

• Colours: Natural, Vintage Sunburst



∧C3M As AC3R

• Back & Sides: Solid Mahogany

∧C1R

CONCERT-SIZE WITH CUTAWAY BODY

Top: Solid Sitka SpruceBack & Sides: Rosewood

AC3R VS

Neck: Mahogany

• Fingerboard: Rosewood

• Bridge: Ebony

• Rosewood Fingerboard Binding


Mahogany Body Binding

• SRT System 66 Preamp

Pickup: SRT PiezoNut Width: 43 mm

• Controls: 3-Band EQ, Volume, Chromatic Tuner

• Colours: Natural, Vintage Sunburst



As AC1R

• Back & Sides: Mahogany



SERIES



APX-SERIES: Globally acclaimed for its playability and powerful on stage performance, the APX is now available in all solid wood and equipped with Studio Response Technology. In addition to the quick response and attack that famously characterises the **APX-SERIES**, the addition of solid rosewood back and sides offered by the APX1200 supports balanced response with exceptional clarity. Refined new cosmetics include mahogany wood binding, black button tuning pegs, and abalone/MOP position markers to promote a simple, elegant and distinctive appearance.

APX1200

Top: Solid Spruce

• Back & Sides: Solid Rosewood

Neck: MahoganyFingerboard: Ebony

Bridge: Ebony

• Frets: 22

• Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

• SRT System 62 Modeling Preamp

Pickup: SRT Piezo

 Controls: Focus/Wide, Resonance, Blend, 3-Band EQ, A.F.R. (Auto Feedback Reduction), Chromatic Tuner

• Hardware: Yamaha Black Button

• Colours: Natural, Translucent Black

APX1000

• Top: Solid Spruce

• Back & Sides: Flamed Maple

• Neck: Nato

• Fingerboard: Rosewood

• Bridge: Rosewood

• Frets: 22

• Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

• SRT System 63 Modeling Preamp

• Pickup: SRT Piezo

 Control: Focus/Wide, Resonance, Blend, 3-Band EQ, A.F.R. (Auto Feedback Reduction), Chromatic Tuner

• Hardware: Yamaha Gold

 Colours: Natural, Mocha Black, Crimson Red Burst, Pearl White





APX700 II

Top: Solid Spruce Back & Sides: Nato

• Neck: Nato

Fingerboard: RosewoodBridge: Rosewood

• Frets: 22

Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

• Pickup: A.R.T. 1-Way, System 64

• Controls: 3-Band EQ, Volume, Tuner

• Hardware: Yamaha Chrome

 Colours: Black, Sand Burst, Natural, Vintage Sunburst, Brown Sunburst



LEFT HANDED VERSION AVAILABLE APX700L, COLOUR: NATURAL

APX500 III

• Top: Spruce

• Back & Sides: Nato

• Neck: Nato

• Fingerboard: Rosewood

• Bridge: Rosewood

• Frets: 22

• Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

• Pickup: System 55, SRT-Piezo

• Controls: 3-Band EQ, Volume, Tuner

• Hardware: Yamaha Chrome

 Colours: Natural, Black, Oriental Blue Burst, Dusk Sun Red, Vintage Sunburst



THE ULTIMATE TRAVEL GUITAR

The original APX Travel series was launched December of 1994. As soon as it was released, APXT1 earned tremendous reputation, especially in Japan, being a front runner to form the first compact guitar market. Its portability and durability as well as playability were accepted by a wide range of players throughout the world; however, due to the aggressively emerging competitors and the closure of our factory, APX Travel series faced difficulties both internally and externally. It was finally discontinued in 2001. In 2012, APXT2 has been redesigned to offer better sound, playability and experience to all players in different genres. It will be manufactured in the new YMMI production line with Yamaha's technology and extensive care. APXT2 is an acoustic-electric guitar with an ART-based new pickup system and a proprietary tuner for much better sensitivity and accuracy. The guitar comes with an exclusive gigbag which is essential when it comes to compact/travel guitars. APXT2 is a great pick for holiday seasons for all players in the world.

No. No. Scott Case Included Soft Case Included Turn Price Constitution of the const

APXT2

• Top: Spruce

• Back & Sides: Meranti

Neck: Nato or Mahogany

• Fingerboard: Rosewood

• Bridge: Rosewood

• Scale Length: 580 mm

Body Depth: 65-75 mm

• Body Binding: Ivory/Black ABS

• Tuner: Cluson Type

• Pick-Up: SYSTEM 68

Colors: Natural (NT), Old Violin Sunburst (OVS),
 Dead Read Report (DRR)

Black (BL), Dark Red Burst (DRB)



BRINGING BACK LOST AMBIENCE - YAMAHA'S NEW SRT SYSTEM

The same tone that, until now, was only attainable by professional recording engineers in the world's finest studios is now easily usable by any player, on-stage or in the studio.

When professional guitarists want to record real acoustic guitar tone, they'll record the guitar with a microphone. That holds true for guitarists who prefer using electric-acoustics on stage as well. Electric-acoustics are very effective in live situations due to their ability to adjust sound and balance volume with the other instruments in the band.



But the sound that electric-acoustics deliver is merely the amplified sound from a pickup attached to the bridge or the top, and lacks true acoustic resonance and ambience. True acoustic guitar tone that you hear on recordings only exists in the recording studio where experienced sound engineers have the means to capture that sound. Yamaha's new SRT system lets you create that same studio recorded sound. The system lets you choose from three different high-end mic types as well as mic positioning. It also lets you obtain more detailed sound by blending the sound with that from the piezo pickup and adjusting resonance.

The SRT-Series brings studio quality acoustic guitar sound to the stage that will amaze your audiences.

ADVANCED FEATURES FOR PLAYING LIVE AND RECORDING

THREE HIGH-END MIC TYPES

Select from models of three microphones most-favoured by recording engineers around the world. (Mic models are created using data collected from these microphones.)



TYPE 1: NEUMANN U67

Vintage condenser microphone known for its wide frequency range and dynamic response. Good for all musical playing styles, follows phrasing well. Recommended for comping and rock playing.



TYPE 2: NEUMANN KM56

Vintage condenser microphone known for its known for smooth, accurate and delicate highend. Recommended for arpeggios, ballads, finger picking, etc.



TYPE 3: ROYER R-122

Modern ribbon microphone known for its soft response with a gentle high-end and thick and warm tone. Smooths hard picking into a rounder tone. Recommended for Jazz and Blues playing.

PROFESSIONAL MIC POSITION

Choose miking positions close or far.



FOCUS: On mic setting (mic positioned 20-30cm from the guitar). Captures string and body resonance clearly to deliver a fat, expansive sound and excellent projection.



WIDE: On Mic combined with Off Mic setting (mic positioned a few meters away from the guitar). Close to the ambient sound that the ear hears when listening to a guitar. Recommended for solo and ensemble playing.



ADJUSTABLE BODY RESONANCE

The RESONANCE knob allows you to add body resonance to the sound, emphasing the natural tone of the auitar.



BLENDING PIEZO AND MIC SOUND SOURCES

Blend piezo pickup and microphone sources to create a wide palette of tonal variations. Blending the sound from the piezo pickup with the sound from the built-in mic adds sharpness.

KEEP FEEDBACK UNDER CONTROL

These instruments incorporate Yamaha's original A.F.R. (Auto Feedback Reduction), which automatically detects the frequency causing the feedback and applies a notch filter to suppress the problem frequency. When feedback occurs, simply switch the A.F.R. button ON. Up to five filters can be applied.



(full left) Piezo pickup only

(full right) Mic sound only



Designed as an electric-acoustic guitar, **CPX** has all the natural body resonance of a true acoustic guitar. This all solid **CPX1200** benefits from the addition of solid rosewood back and sides for enhanced depth and clarity, and when combined with **SRT** its natural acoustic sound and playability shine through – the perfect guitar for both studio and stage. Refinements of this top of the range model are mahogany wood binding, black button tuning pegs and newly designed MOP/Padauk position markers.



CPX1200

Top: Solid Spruce

• Back & Sides: Solid Rosewood

Neck: MahoganyFingerboard: EbonyBridge: Ebony

• Frets: 20

• Nut Width: 43 mm

String Length: 650 mm (25 9/16")
SRT System 62 Modeling Preamp

· Pickup: SRT Piezo

Control: Focus/Wide, Resonance, Blend,
 3-Band EQ, A.F.R. (Auto Feedback Reduction),
 Chromatic Tuner

• Hardware: Yamaha Gold

• Colours: Translucent Black, Vintage Sunburst



CPX1000

• Top: Solid Spruce

• Back & Sides: Flamed Maple

Neck: Nato

• Fingerboard: Rosewood

Bridge: Rosewood

• Frets: 20

• Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

SRT System 63 Modeling Preamp

• Pickup: SRT Piezo

 Control: Focus/Wide, Resonance, Blend, 3-Band EQ, A.F.R. (Auto Feedback Reduction), Chromatic Tuner

• Hardware: Yamaha Black Button

 Colours: Natural, Ultramarine, Translucent Black, Brown Sunburst





CPX700 II

Top: Solid SpruceBack & Sides: Nato

• Neck: Nato

• Fingerboard, Bridge: Rosewood

• Frets: 20

• Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

• Pickup: 1-Way A.R.T., System 64

• Controls: 3-Band EQ, Volume, Tuner

• Hardware: Yamaha Chrome

 Colours: Natural, Sand Burst, Dusk Sun Red, Black, Tinted



CPX500 III

• Top: Spruce

• Back & Sides: Nato

• Neck: Nato

• Fingerboard, Bridge: Rosewood

• Frets: 20

• Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

• Pickup: SRT Piezo, System 65

• Controls: 3-Band EQ, Volume, Tuner

• Hardware: Yamaha Chrome

• Colours: Natural, Black, Vintage Sunburst



• Case for CPX

FGX-SERIES



FGX730SC

FGX720SC

FGX730SC

• Top: Solid Spruce

• Back & Sides: Rosewood

• Fingerboard, Bridge: Rosewood

• Frets: 22

• Neck: Nato

• Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

Pickup: System 56 1-Way (A.R.T.)

• Hardware: Yamaha Chrome

• Colours: Natural, Brown Sunburst, Black



FGX720SC

• Top: Solid Sitka Spruce

• Back & Sides: Nato

• Neck: Nato

• Fingerboard, Bridge: Rosewood

• Frets: 20

• Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

• Pickup: System 55, 1-Way

• Colours: Natural, Brown Sunburst, Black

FJX-SERIES

FJX730SC

• Top: Solid Spruce

• Back & Sides: Rosewood • Neck: Nato

• Fingerboard, Bridge: Rosewood

• Frets: 20 • Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

• Pickup: System 56 1-Way (A.R.T.)

• Hardware: Yamaha Chrome

• Colours: Natural, Brown Sunburst, Black

FJX720SC

• Top: Solid Spruce

• Back & Sides: Nato • Neck: Nato

• Fingerboard, Bridge: Rosewood

• Frets: 20 • Nut Width: 43 mm

• String Length: 650 mm (25 9/16")

• Pickup: System 55, 1-Way

• Colours: Natural, Brown Sunburst, Black



FJX730SC

FJX720SC

FSX-SERIES



FSX730SC

FSX730SC

• Top: Solid Spruce

• Back & Sides: Rosewood

• Neck: Nato

• Fingerboard, Bridge: Rosewood

• Frets: 20

• Nut Width: 43 mm

• String Length: 634 mm (25")

• Hardware: Yamaha Chrome

• Pickup: A.R.T. 1-Way System 56 · Colours: Natural, Black, Brown Sunburst

FSX720SC

As FSX730SC

• Back & Sides: Nato

• Pickup: 1-Way Piezo



FX-SERIES



FX370C

FX370C

• Top: Spruce • Back & Sides: Nato

• Neck: Nato • Fingerboard, Bridge: Rosewood

• Frets: 20 • Nut Width: 43 mm

• String Lenght: 634 mm (25")

• Hardware: Yamaha Chrome

• Pickup: 1-Way Piezo

• Colours: Natural, Tobacco Brown Sunburst, Black

FX310

• Top: Spruce • Back & Sides: Meranti

• Neck: Nato • Fingerboard, Bridge: Rosewood

• Frets: 20 • Nut Width: 43 mm

 Scale Length: 634 mm (25") • Hardware: Yamaha Chrome

• Pickup: System 53, 1-way

Colours: Natural, Tobacco Brown Sunburst

FG-SERIES



FG740S

- Top: Solid Sitka Spruce
- Back & Sides: Flamed Maple
- Neck: Nato
- Fingerboard: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")

FOLK

GUITARS

- Hardware: Yamaha Chrome
- Colour: Vintage Cherry Sunburst



FG740S

FG730S

- Top: Solid Sitka Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard: Rosewood
- Frets: 22
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome
- Colour: Natural, Tobacco Brown Sunburst, Vintage Cherry Sunburst





FS720S

FG700S

- Top: Solid Sitka Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard: Rosewood
- Frets: 20
- Nut Width: 43mm
- Hardware: Yamaha Chrome
- String Length: 650 mm (25 9/16")
- Colours: Natural, Gloss

FG700MS

As FG700S, but in Matte Finish

FG720S

- Top: Solid Sitka Spruce
- Back & Sides: MapleNeck: Mahogany
- Fingerboard: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome
- Colour: Natural, Dusk Sun Red,
 - Oriental Blue Burst, Black, Brown Sunburst

FS720S

- Top: Solid Sitka Spruce,
- Back & Sides: Nato
- Neck: Nato
- Fingerboard: Rosewood
- Nut Width: 43 mm
- Colours: Natural, Dusk Sun Red, Tropical Marine Blue, Black, Brown Sunburst



FG700MS







F310P2/F310P2WS



F370

- Top: Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard & Bridge: Rosewood
- Frets: 20
- Nut Width: 43mm
- String Length: 634 mm (25")
- Hardware: Yamaha Chrome, Die-Cast
- Colours: Natural, Black Tobacco Brown Sunburst

F310

- Top: Spruce
- Back & Sides: Meranti
- Neck: Nato
- Fingerboard & Bridge: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 634 mm (25")
- Hardware: Yamaha Chrome
- Colours: Natural, Tobacco Brown Sunburst

F310 PACKS

A GENUINE BEGINNERS GUITAR F310P2WS

- F310 Acoustic Guitar Tuitional DVD
- Strap, Strings, Picks Tuner Guitar Stand
- Gigbag Retail ready colour carton box

F310P2

- F310 Acoustic Guitar Tuitional DVD Tuner
- Strap, Strings, Picks Retail ready colour carton box



APX 12-STRING

The new twelve string APX700-12 features a comfortable cutaway and a neck that's so easy to play, even pampered electric players can play one without tiring. A solid spruce top and nato-wood back and sides give this electroacoustic a full tone and plenty of unplugged volume.

WESTERN GUITARS 12-STRING



• Top: Solid Spruce • Back & Sides: Nato • Neck: Nato • Fingerboard, Bridge: Rosewood • Frets: 22 • Nut Width: 46 mm • String Length: 634 mm (25 9/16") • Pickup: A.R.T. 1-Way, System 64 • Controls: 3-Band EQ, Volume, Tuner • Hardware: Yamaha Chrome • Colours: Natural, Black

CPX700-12 II

- Top: Solid Spruce Back & Sides: Nato Neck: Nato
- Fingerboard, Bridge: Rosewood Frets: 20 Nut Width: 46 mm
- String Length: 634 mm (25 9/16") Hardware: Yamaha Gold
- Pickup: A.R.T. 1-Way, System 64 Controls: 3-Band EQ, Volume, Tuner • Colours: Natural

FG720-12

- Top: Solid Sitka Spruce Back & Sides: Nato Neck: Nato
- Fingerboard, Bridge: Rosewood String Length: 634 mm (25")
- Nut Width: 46 mm Hardware: Yamaha Chrome

LL16-12 ∧RE

- Top: Solid Engelmann Spruce Back & Sides: Solid Rosewood
 - Neck: Mahogany, Padauk (5-ply) Fingerboard, Bridge: Ebony
- Frets: 20 Nut Width: 46 mm String Length: 634 mm (25")
- Hardware: Yamaha Gold

SCHOOL MODELS



- Top: Spruce Back & Sides: Poly Board (Mahogany Finish)
- Neck: Nato Fingerboard, Bridge: Rosewood Frets: 20
- Nut Width: 43 mm
 String Length: 540 mm (21 1/4")
- Hardware: Yamaha Chrome Colours: Natural, Tobacco Brown Sunburst



As JR2, but Back & Sides: Mahogany Finish UTF; Hardware: Opened Chrome



- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard, Bridge: Rosewood
- Frets: 20 Nut Width: 43 mm
 String Length: 540 mm (21 1/4")
- Hardware: Yamaha Chrome Colour: Natural



NX-SERIES guitars represent a new style of nylon string guitars designed with pickup systems that faithfully reproduce the tone, character, and dynamics of the instrument. Developed in consultation with Rodrigo y Gabriela, Antonio Forcione and other master players, the NX guitars are designed to Rock! These top-of-the-line models are designed and crafted drawing upon the vast knowledge, craftsmanship and expertise acquired from over 40 years of hand crafting classical Spanish guitars.

ELECTRIC NYLON

NCX2000R

A·R·E·))

- Top: Solid Hokkaido Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: African Mahogany
- Fingerboard: Ebony
- Frets: 19
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T.
- Preamp: 3-Band EQ, On-Board Tuner
- Coating: Polyurethane

NCX2000FM

As NCX2000R

- Back & Sides: Solid Flamed Maple
- Soft Case Included

NCX1200R

• Top: Solid Sitka Spruce

• Back & Sides: Solid Rosewood

• Neck: African Mahogany

• Fingerboard: Ebony

• Frets: 19

• Nut Width: 52 mm

• String Length: 650 mm (25 9/16")

• Pickup: A.R.T.

• Preamp: 3-Band EQ, On-Board Tuner

• Coating: Polyurethane



NEWLY DEVELOPED CONTACT PICKUP A.R.T.

Yamaha's acoustic-electric guitars have consistently used piezoelectric pickups to reproduce the pure sounds of the acoustic guitar. But piezoelectric pickups tended to overreact to changes in attack, which in turn caused distortion. To achieve ideal playability, we had to improve the way that these dynamics were controlled. To provide a solution to this issue, the new pickup was designed with a multilayer structure consisting of six layers of different materials. This dampens excessive vibration from the topboard while picking up small resonances to achieve ideal sensitivity and outstanding dynamic balance. Also, because the pickup is fitted directly beneath the topboard, it functions as a transducer attached to the body.

3-WAY CONFIGURATION

In addition to two main pickups mounted under the saddle, this system has one each on the bass and treble sides to capture the vibrations of the entire length of the strings and body, as well as the sound's bass and treble components. The pickups are laid out in such a way as to achieve clear reproduction even during high-position soloing.



NCX900R

- Top: Solid Sitka SpruceBack & Sides: Rosewood
- Neck: Nato
- Fingerboard: Rosewood
- Frets: 19
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T.
- Preamp: 3-Band EQ, On-Board Tuner
- Coating: Polyurethane

NCX900FM

As NCX900R,

• Back & Sides: Flamed Maple

NCX700/NCX700C

- Top: Solid Spruce/NCX700C Solid Cedar
- Back & Sides: Nato
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Frets: 19
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T.
- Preamp: 3-Band EQ, On-Board Tuner
- Coating: Polyurethane
 Colours: Natural, Black

NTX-SERIES



NTX1200R

• Top: Solid Sitka Spruce

• Back & Sides: Solid Rosewood

• Neck: African Mahogany

• Fingerboard: Ebony • Frets: 22

• Nut Width: 48 mm

• String Length: 650 mm (25 9/16") • Pickup: A.R.T./2-Way, System 61

• Control: 3-Band EQ, Volume, Tuner

• Coating: Polyurethane

NTX900FM

• Top: Solid Engelmann Spruce • Back & Sides: Flamed Maple

Neck: Nato

• Fingerboard: Rosewood

• Frets: 22

Nut Width: 48 mm

• String Length: 650 mm (25 9/16") • Pickup: A.R.T./2-Way, System 61

• Control: 3-Band EQ, Volume, Tuner

• Coating: Polyurethane



• Top: Solid Spruce/NTX700C Solid Cedar

• Back & Sides: Nato

• Neck: Nato

• Fingerboard: Rosewood

• Frets: 22

• Nut Width: 48 mm

• String Length: 650 mm (25 9/16") • Pickup: A.R.T./2-Way, System 61

• Preamp: 3-Band EQ, On-Board Tuner

• Coating: Polyurethane

NTX700BL

As NTX700NT · Colour: Black

NTX700SB

As NTX700NT

· Colour: Sand Burst



NTX700C

ELECTRIC

NYLON



SOFT CASE

INCLUDED

THE NEW GC-SERIES

Crafted with Tradition, Skill and Pride. It takes skill to craft a perfect guitar. Our master craftsmen learned the art of making classical guitars under the tutelage of master luthiers like M. Hernandez and E. Ferrer. The result is a collection of top-of-the-line handcrafted instruments that can each trace their roots back to their Spanish ancestry.

GC82S/C

• Top: Solid American Cedar / Solid Spruce Back & Sides: Solid Madagascar Rosewood

• Neck: Cedro • Fingerboard: Ebony

• Bridge: Madagascar Rosewood

• Finish: "Shellac Gloss" • Nut / Saddle: Bone Nut Nut Width: 52.5 mm

• Tuning Machines: 35G510QC-M

• String Length: 650 mm Case: Hard Case

GC42S

- Top: Solid Spruce
- Back & Sides: Solid Madagascar Rosewood

INCLUDED

- Neck: African Mahogany
- Finger Board: Ebony
- Bridge: Rosewood
- Finish: Polyester Gloss • Nut / Saddle: Bone
- Nut Width: 52 mm
- Tuning Machines: YTM-81
- String Length: 650 mm
- Case: Semi-Rigid Case

GC42C



• Back & Sides: Solid Madagascar Rosewood

Neck: African Mahogany

• Finger Board: Ebony

• Bridge: Rosewood

• Finish: Polyester Gloss

 Nut / Saddle: Bone Nut Width: 52 mm

• Tuning Machines: YTM-81 • String Length: 650 mm

• Case: Semi-Rigid Case



Handcrafted from hand-selected woods at Yamaha's Music Craft workshop in Japan, these premium instruments are offering a truly impressive sound. Solid back and sides deliver excellent projection with warm, rich harmonics. You can choose between two solid tops, the bright and clear sounding spruce top or a warmer sounding cedar top.







 Top: Solid Spruce/ Solid American Cedar

• Back & Sides: Solid Rosewood

INCLUDED

Neck: African Mahogany

Fingerboard: Ebony

Bridge: Rosewood

• Finish: Polyester Gloss

Neck: Matte

Nut / Saddle: Urea

• Nut Width: 52 mm

• Tuning Machines: YTM-81

• String Length: 650 mm

• Case: Semi-Rigid Case

GC12S/C

• Top: Solid Spruce/Solid American Cedar

• Back & Sides: Solid Mahogany

Neck: African Mahogany

Fingerboard: EbonyBridge: Rosewood

- bridge. Rosewood

• Finish: Polyester Gloss

• Neck: Matte

• Nut / Saddle: Urea

• Nut Width: 52 mm

• Tuning Machines: YTM-81

• String Length: 650 mm

• Case: Semi-Rigid Case



More than 50 years ago, the very first guitar we built was a classical guitar. So for us, at Yamaha, the classical guitar has always been something special. Over the years we have been able to build some of the world's finest guitars for some of the world's best players. Just one result of those 50 years experience is our **CG-SERIES**, now newly designed and confirming its reputation for affordable excellence. Many features of the **GC-SERIES** have been incorporated to produce a beautifully finished guitar of outstanding tonal quality, that is a pleasure to play.

CG192S/C

- Top: Solid Engelmann Spruce (S), Solid American Cedar (C)
- Back & Sides: Rosewood
- Neck: Mahogany
- Fingerboard: Ebony
- Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Gold
- Colour: Gloss Natural



CG182S CG182C



CG182S/C

- Top: Solid Engelmann Spruce (S), Solid American Cedar (C)
- Back & Sides: Rosewood
- Neck: Nato
- Fingerboard: Ebony
- Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Gold
- Colour: Gloss Natural



CG162S/C

- Top: Solid Engelmann Spruce (S), Solid American Cedar (C)
- Back & Sides: Ovankol
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Gold
- · Colour: Gloss Natural

CG142C

CG142SBL

CG142S

CLASSICAL

GUITARS

CG162S

CG142S/C/SBL

- Top: Solid Engelmann Spruce (S) Solid Ceder (C)
- Back & Sides: Nato
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome
- Colour: Gloss Natural, Black



CG122MS

CG122MC

CG122MS/C

- Top: Solid Engelmann Spruce (S), Solid Ceder (C)
- Back & Sides: Nato
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome
- Colour: Matte Natural

C40

- Top: Spruce Body: Meranti Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome Colour: Gloss Natural

C40M

• As C40, Colour: Matte

C40BL

• As C40, Colour: Black

CS40

- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard, Bridge: Rosewood
- Nut Width: 48 mm
- String Length: 580 mm (22 13/16")
- Hardware: Yamaha Chrome
- Colour: Gloss Natural, Black





CGS104A

- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard: Sonokeling
- Bridge: Rosewood
- String Length: 650 mm (25 9/16")
- Colour: Gloss Natural

CGS103A

3/4 Guitar - For beginners

- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard: Sonokeling
- Bridge: Rosewood
- String Length: 570 mm
- Colour: Gloss Natural

CGS102

1/2 Size - For The Very Smallest Beginners

- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard, Bridge: Rosewood
- String Length: 535 mm
- Colour: Gloss Natural

GUITALELE



GL1



GUITALELE, 6-STRING UKULELE

- Top: Spruce
- Back & Sides: Meranti
- Neck: Nato
- Fingerboard, Bridge: Sonokeling
- Nut Width: 48 mm
- String Length: 433 mm (17")
- Tuning: A/D/G/C/E/A
- Colours: Natural, Black, Tobacco Brown Sunburst, Persimmon Brown



SCHOOL MODELS

Beginner's luck! Who didn't drive their parents and neighbours up the wall playing their first chords on this guitar? It's nice to know that the **CG102** still exists in its original form after all those years. Fortunately, parents have changed in the meantime.



CG102

• Top: Spruce

• Back, Sides & Neck: Nato

• Fingerboard, Bridge: Rosewood

• Nut Width: 52 mm

String Length: 650 mm (25 9/16")

Hardware: YTM-01Colour: Gloss Natural

C80

• Top: Spruce

• Back, Sides & Neck: Nato

• Fingerboard, Bridge: Rosewood

• Nut Width: 52 mm

• String Length: 650 mm (25 9/16")

Hardware: YTM-06Colour: Gloss Natural

C70

• Top: Spruce

• Back & Sides: Meranti

• Neck: Nato

• Fingerboard, Bridge: Rosewood

Nut Width: 52 mm

• String Length: 650 mm (25 9/16")

• Hardware: YTM-01

· Colour: Gloss Natural

Following the long heritage of Yamaha's classical guitar range, the **CGX** nylon classical guitars combine select woods with decades of crafting experience. Offering several variations on this classic design, these electric/nylon acoustics offer amplified sound which is easy to control letting you concentrate on performing. Yamaha is yet again on trend with this full bodied Electro Classical Guitar. A no nonsense piezo system with Yamaha pre-amp (including on-board tuner) cuts it for those needing to perform live without fuss or concern.



CGX102

CLASSICAL GUITAR / YAMAHA PRE AMP / ON-BOARD TUNER

• Top: Spruce

• Back & Sides: Nato

• Neck: Nato

• Fingerboard: Rosewood

• Frets: 22

Nut Width: 48 mm

• String Length: 650 mm (25 9/16")

• Pickup/Controls: System 68N, 1-way with tuner

· Colour: Gloss natural

CX40

• Top: Spruce

Body: MerantiNeck: Nato

• Fingerboard, Bridge: Rosewood

• Nut Width: 52 mm

• String Length: 650 mm (25 9/16")

• Pickups: System50, Piezo,1-way, passive

• Controls: Volume, Tone

• Hardware: Yamaha Chrome

• Colour: Gloss Natural

Originally designed as ideal practice and travel instruments, the Silent Guitars quickly became popular with touring guitarists who love its practical, feedback-free facility for live applications and unique modern appearance. The **SILENT GUITARS** lack of a hollow body keeps its acoustic sound output very low but when the guitar is experienced through a pair of headphones, or played through a PA on stage it delivers rich, natural acoustic guitar tone with zero feedback.



SLG130NW

• Body: Solid Maple, Maple Frame

Neck: MahoganyFingerboard: EbonyBridge: Rosewood

• Frets: 19

• Nut Width: 52 mm

• String Length: 650 mm (25 9/16")

• Pickup: B-Band Preamp

 Controls: Volume, Bass, Treble, Effect Select, Line Out, Aux In, Level Control, Phones Out, Phones On/Off

• Effects: Reverb 1, Reverb 2, Delay, Chorus

Colour: Light Amber Burst









• Body: Solid Maple, Plastic Frame

• Neck: Mahogany

• Fingerboard, Bridge: Rosewood

• Frets: 22

• Nut Width: 43 mm

String Length: 650 mm (25 9/16")

• Hardware: Gold-Plated With Pearloid Buttons

• Pickup: L.R. Baggs

 Controls: Volume, Bass, Treble, Effect Select, Line Out, Aux In, Level Control, Phones Out, Phones On/Off

• Effects: Reverb 1, Reverb 2, Delay, Chorus

 Colours: Tobacco Brown Sunburst, Black Metallic, Natural






SI G110N

- Body: Solid Maple, Plastic Frame
- Neck: Mahogany
- Fingerboard, Bridge: Rosewood
- Frets: 19
- Nut Width: 50 mm
- String Length: 650 mm (25 9/16")
- Hardware: Gold-Plated With Pearloid Buttons
 - Pickup: B-Band Preamp
 - Controls: Volume, Bass, Treble, Effect Select, Line Out, Aux In, Level Control, Phones Out, Phones On/Off
- Effects: Reverb 1, Reverb 2, Delay, Chorus
- Colours: Tobacco Brown Sunburst, Black Metallic, Natural





THR5A is optimized for use with electric-acoustic and Silent Guitars (for more information please see page 58).



- Body: Spruce/Mahogany
- Side/Frame: Beech (Detachable)
- Neck: Maple
- Finger Board: Rosewood
- Bridge: Maple (Height adjustable)
- Tuning Peas: Custom Worm Gear Type
- Tailpiece: Ebony (reverse type)
- Pickup: Piezo Pickup
- Strings: D'Addario Helicore Pizzicato
- Controls: Volume, Treble, Bass
- · Connectivity: Line out
- Case: Gig bag

ACCESSORIES



Extension Frame for SLB-200

SLB200

BKS-2


Knee Support for SLB-200

BST-1

Stand for SILENT Bass™







The Yamaha SG has been known as one of the "best ever" electric guitars for 35 years now. In 2010 Yamaha proudly presented the next generation SG: the **SG1820**. Designed by players for players, the **SG1820** series meets all the demands made by today's rock guitarists. There are three models to choose from, three distinct characters, and each one is a Yamaha SG at heart. Awesome sound, effortless playability and rugged on-the-road reliability have made the Yamaha SG a world favourite.

WELCOME TO THE NEXT GENERATION ELECTRIC GUITAR FROM YAMAHA.







Brown Sunburst

Black

SG1820

CLASSIC • HANDMADE IN JAPAN

Body: MahoganyTop: Maple

Neck: Mahogany, Set-In

Fingerboard: RosewoodScale Length: 24 3/4"

• Frets: 22

Bridge: T-O-M (TonePros)
Pickups: 2x S.Duncan '59
Tuners: Grover Locking
Hardware: Yamaha Chrome
Colours: Black, Vintage White, Brown Sunburst

THE SG1820 RANGE

There are three SG1820 models: Classic, Vintage, and Modern. Each model is fitted with a different set of pickups and hardware. All three feature set-neck design and are available in various finishes.

The Classic model combines nickel hardware with nickel-plated Seymour Duncan '59 humbuckers.

The Vintage model is the first Yamaha SG to feature P-90 pickups as a standard fitting. The SG 1820 Modern completes the range, with black nickel hardware and active EMG60/81-pickups.









SG1802

VINTAGE • HANDMADE IN JAPAN

Body: MahoganyTop: Maple

HARD CASE


Neck: Mahogany, set-in
Fingerboard: Rosewood
Scale Length: 24 3/4"

• Frets: 22

Bridge: T-O-M (TonePros)
Pickups: 2x S.Duncan SP-90
Tuners: Grover Locking

Hardware: Yamaha ChromeColours: Black, Gold





MODERN • HANDMADE IN JAPAN

Body: MahoganyTop: Maple

Neck: Mahogany, set-inFingerboard: Rosewood

• Scale Length: 24 3/4"

• Frets: 22

Bridge: T-O-M (TonePros)
Pickups: 2x EMG 685/81
Tuners: Grover Locking
Hardware: Yamaha Black Chrome

• Colours: Black, Silver Burst





Black

Silver Burst

Jazz supremo **MIKE STERN'S** signature Pacifica combines traditional guitar construction with modern appointments to create an instrument of unparalleled playability, character and versatility. But be warned, this is no polite jazz-only guitar – it's more than happy on the heavier side of things...







1611MS

HANDMADE IN JAPAN


MIKE STERN SIGNATURE

Body: Ash
Neck: Maple
Fingerboard: Maple
Scale Length: 25 ½"
Frets: 22

Bridge: Six Saddle Hardtail
 Pickups: 1x Duncan HU '59,

1x Duncan Hot Rail Yamaha Chrome

Hardware: YamahaColour: Natural



PACIFICA611 VFM

Pacifica611 series gets a tremolo option in the shape of Wilkinson VS50-6 and Grover locking machine heads. These guitars genuinely accommodate a growing market niche; accomplished players looking for something different and complimentary to their guitar collection. Guitarists who can play at a reasonable level and have an understanding of tone will be interested in this guitar and intrigued by what Yamaha has done – "A boutique guitar at an affordable price."

611 VFM

• Body: Alder/Flamed Maple Top

Neck: Maple/Tinted
 Fingerboard: Rosewood
 Tuning Machine: Grover Locking

• Scale Length: 25 ½"

Bridge: Wilkinson Trem
Nut: Black TUSQ-XL
Pickups: 1 x Duncan SP 90,

1 x Duncan Custom 5

• Colours: Root Beer (RTB),

Translucent Black (TBL),

Tobacco Brown Sunburst (TBS)



Root Beer

Translucent Black

Tobacco Brown Sunburst

First launched in 1990, and designed by Yamaha Guitar Development in Hollywood, the Pacifica series was driven by the Californian session scene of the day – where versatility, performance and individuality were key. Inspired by those custom-shop guitars, and that original vision, the latest Pacifica guitars are today's embodiment of the concept. Hand-selected, pro-grade hardware and components are matched with tonewood construction and stage-ready setup to ensure Pacifica's defining quality is the essence of an LA custom-shop guitar: Serious Performance.

611H

• Body: Alder/Flamed Maple Top

Neck: Maple/Tinted
Fingerboard: Rosewood
Nut: Black TUSQ-XL

Scale Length: 25 ½"
Bridge: Hardtail

Nut: Black TUSQ-XLPickups: 1 x Duncan SP 90,

1 x Duncan Custom 5

Colours: Root Beer,

Translucent Black, Translucent Purple, Black, Light Amber Burst



311H

• Body: Alder • Neck: Maple • Fingerboard: Rosewood • Tuning Machine: Grover Locking • Nut: Black TUSQ-XL

25 1/2" • Scale Length: • Bridge: Hardtail P-90 • Neck PU:

• Bridge PU: Nickel Cover HB • Colours: Red Metallic, Black, Yellow Natural Satin,

Vintage White





510V

• Body: Alder

Maple (Tinted) • Neck: • Fingerboard: Rosewood

• Tuning Machine: Grover Locking

• Nut: Black TUSQ-XL

• Scale Length: 25 1/2"

• Bridge: Vintage (Wilkinson)

• Neck PU:

• Bridge PU: Duncan P-Rails

Candy Apple Red, Sonic Blue, Black,

Old Violin Sunburst,

White

Candy Apple Red

Vintage White

Sonic Blue

White

@YAMAHA 212VFM • Body: • Neck: • Fingerboard: 22 • Frets: • Pickups: • Hardware: • Tremolo: • Colours: Tobacco Brown

Caramel Brown

Alder/Flamed Maple,

Matching Headstock

Maple, Rosewood

Rosewood • Scale Length: 25 1/2"

1x HU (push/pull Split), 2x SC

Yamaha Chrome Yamaha Vintage

Tobacco Brown Sunburst,

Translucent Black. Caramel Brown

Sunburst

Translucent Black



212VQM

• Body: Alder/Quilted Maple,

Matching Headstock

• Neck: Maple, Rosewood

Rosewood Fingerboard: • Scale Length: 25 1/2" • Frets: 22

• Pickups: 1x HU (push/pull Split),

2x SC

• Hardware: Yamaha Chrome • Tremolo: Yamaha Vintage

• Colours: Tobacco Brown Sunburst,

Translucent Black, Caramel Brown

Caramel Brown

Tobacco Brown Sunburst



Satin

Sunburst

112V

• Body: Alder • Fingerboard: Rosewood

• Neck: Maple, Rosewood

• Scale Length: 25 1/2" • Frets: 22

• Pickups: 1x Alnico V Humbucker

(push/pull split),

2x Alnico V Single Coils

• Hardware: Yamaha Chrome • Tremolo: Yamaha Vintage Old Violin Sunburst, • Colours:

Black,

Raspberry Red, Sonic Blue, Silver, Yellow Natural Satin



Silver

Raspberry Red

Sonic Blue

The class-leading **PACIFICA 112V** combines player-focused, stage-ready spec with no-compromise construction and set-up to create the best value player's guitar on the market. Featuring a solid American Alder body and maple neck with rosewood fingerboard teamed up with custom designed Alnico pickups, a killer vintage trem and rock-solid die-cast chrome machine heads. Finished with a stage-ready setup that any rockstar's guitar tech would approve of, whatever style you play, **PACIFICA 112V** is designed to let you play harder.





112VCXBL

Body: AlderFingerboard: Rosewood

Neck: Maple, Rosewood

• Scale Length: 25 ½" • Frets: 22

• Bridge: Vintage Tremolo with

Block Saddle

• Pickups: 2x Yamaha Alnico SC,

1x Yamaha Alnico HU,

HU splitting, push/pull pot

Hardware: Yamaha Chrome Tremolo: Yamaha Vintage

Matched Headstock

Pickguard: BlackColour: Black



112VCXVW

Body: AlderFingerboard: Rosewood

• Neck: Maple, Rosewood

• Scale Length: 25 ½" • Frets: 22

• Bridge: Vintage Tremolo

with Block Saddle

• Pickups: 2x Yamaha Alnico SC,

1x Yamaha Alnico HU,

HU splitting, push/pull pot Yamaha Chrome

Hardware: Yamaha ChromeColour: Vintage White



112VMX

• Body: Alder

Fingerboard: Rosewood
Neck: Maple
Frets: 22
Scale Length: 25 ½"

 Pickups: 1x HU (push/pull Split),

2x SC

Hardware: Yamaha ChromeTremolo: Yamaha Vintage

• Pickguard: Black

Colour: Yellow Natural Satin



Metallic Red

112VM

Body: Alder
Neck: Maple
Fingerboard: Rosewood
Frets: 22

• Scale Length: 25 ½"

• Pickups: 1x HU (push/pull Split), 2x SC

 Hardware: Yamaha Chrome
 Tremolo: Yamaha Vintage
 Colour: Black, Metallic Red, Tobacco Brown Sunburst





112JCX

• Body: Alder

Maple, Rosewood • Neck:

• Frets: 22 • Scale Length: 25 1/2"

1x Yamaha HU, • Pickups:

2x Yamaha SC

• Hardware: Yamaha Chrome

• Tremolo: Vintage • Colour: Black



• Body: Alder

• Neck: Maple, Rosewood

• Frets: 22 • Scale Length: 25 1/2"

• Pickups: 1x Yamaha HU, 2x Yamaha SC

• Hardware: Yamaha Chrome

• Tremolo: Vintage

 Colours: Old Violin Sunburst,

> Red Metallic, Black, Yellow Natural Satin, Lake Placid Blue

LEFTHAND-MODEL PACIFICA112JL:

• Colours: Black, Yellow Natural Satin



Lake Placid Blue

Yellow Natural Satin

Red Metallic

Black

Old Violin Sunburst





Tobacco Brown Sunburst



Yellow Natural Satin



Black

120H

Alder • Body: • Fingerboard: Rosewood • Neck: Maple • Frets: 22 • Scale Length: 25 1/2" • Pickups: 2x HU

• Hardware: Yamaha Chrome

• Pickguard: Black

• Colours: Black, Tobacco Brown Sunburst, Yellow Natural Satin, Vintage White





012

Body: Agathis
 Neck: Maple
 Frets: 22
 Scale Length: 25 ½"

• Fingerboard: Sonokeling

Pickups: 1 x HU, 2 x SC
Hardware: Volume, Tone
Colours: Black, Red Metallic,

Dark Blue Metallic, Vintage White, Black Sparkle



EG112

• Body: Alder

Neck: Maple, Rosewood

• Pickups: 1 x HU, 2 x SC Power PUs

• Hardware: Yamaha Chrome

Tremolo: YamahaColour: Black



ERG121

• Body: Alder


Neck: Maple, Rosewood
Pickups: 2 x HU, 1 x SC
Hardware: Yamaha Chrome

Tremolo: YamahaColour: Black

EG112GP

Gigmaker EG - Plug & Play! Perfect set for beginners. EG 112 incl. 15 Watt Amp GA 15, gigbag, belt, tuner YT 100, strings, 3 picks, string winder





ERG121GP

Gigmaker ERG - Plug & Play! Beginner's choice in black... ERG 121 incl.15 Watt Amp GA 15, gigbag, belt, tuner YT 100, strings, 3 picks, string winder











The conventional wisdom in building electric guitars has long been: the more uniform and heavy the material, the better the sound.

But not any more. Yamaha has shattered this concept with an advanced technology called Alternative Internal Resonance, or A.I.R. for short (patent pending). This revolutionary design approach means that lightweight materials can at last deliver equivalent or superior tonal characteristics compared to traditional materials.

The result? A smarter and lighter model with all of the sound quality you expect from a Yamaha.




THE SECRET OF A.I.R. TECHNOLOGY

Lightweight material is sandwiched between harder, heavier wood on both the front and back surfaces of the guitar's body. Special sound tubes pass through the body so that string vibrations normally resonating only the guitar's top are transmitted to the whole body. By exciting the entire body structure and shaping the tone with the hard top and back, A.I.R. construction creates a full, powerful tone with distinctive presence and body that is both totally usable and completely unique. Who said beauty was only skin deep?

PICKUP SELECTOR SYSTEM

This newly developed system uses high-intensity lights to indicate the active pickup, clearly showing which high-output pickup you have selected, even on the darkest stage.





RGX420DZ2

• Body: Alder


• Neck: Maple, Rosewood

• Frets: 24

• Tremolo: Floyd Rose Lic. (black)

• Pickups: 2 x EMG Humbucker (H4A/H4)

Hardware: Yamaha Black Nickel Colours: Satin Black, Black, White





RGX220DZ

Body: Alder

Neck: Maple, Rosewood

• Frets: 24

• Bridge: Floyd Rose Lic. (black)

• Pickups: 2 x Yamaha

Humbucker

• Hardware: Yamaha Black

• Tremolo: Vintage

Colours: Metallic Red,

Metallic Black, Metallic Blue,

Dark Metallic Grey

Metallic Blue

Satin Black



RGX121Z

• Body: Alder

• Neck: Maple, Rosewood

• Frets: 22

• Pickups: 2 x Yamaha Humbucker

• Hardware: Yamaha

• Colours: Black, Flat Silver, Metallic Red

LEFTHAND-MODEL RGX121ZL:

• Colour: Black



HANDMADE IN JAPAN

Body: MapleNeck: Maple, Ebony

Frets: 22Scale Length: 24"

• Pickups: 2 x Yamaha HU

• Bridge: T-O-M

• Hardware: Yamaha Gold

• Controls: Master Vol., Master Tone

Colours: Violin Sunburst,
 Brown Sunburst

_ _ _

HANDMADE IN JAPAN

• Body: Maple

• Neck: Maple, Rosewood

• Frets: 22 • Scale Length: 25 ½"

Pickups: 2 x DiMarzioBridge: T-O-M

• Hardware: Yamaha Gold

Controls: MasterVol., Master Tone
 Colours: Orange, Pearl Snow White

WELCOME TO A NEW KIND OF AMP ...

THR is the first amp completely designed to fit how you play off-stage. With big amp response, incredible effects, and hi-fi stereo sound in a package that's built to meet all of your off-stage needs. You're about to begin a new chapter in your playing. Everything you need: tones that push amp modeling to a new level, recreating the exact experience of playing a tube amp thanks to Yamaha's exclusive Virtual Circuitry Modeling (VCM) technology, ultra-realistic reverbs and effects and true hi-fi quality stereo audio playback that no guitar amp can get close to - all wrapped up in a package designed to mirror how you really play.

THR10/5 V2

- Amp Types: Clean, Crunch, Lead, Brit Hi, Modern
- Additional Amps (only with THR10) Bass, Acoustic, Flat
- Effects: Chorus, Flanger, Phaser, Tremolo, Delay, Delay/Reverb,
 Spring Reverb, Hall Reverb, Compressor*, Noise Gate*

 Connections: INPUT (Standard Mono Phone), PHONES (Standard Stereo Phone), AUX IN (Stereo Mini), USB

- Speakers: 8cm Full Range x 2
- Rated Output: 10W (5W + 5W)

^{*}only available in the THR Editor





With THR10 save up to 5 amp and FX settings onboard



THR Editor for deep editing and preset librarian.



Multi effect section



Tap tempo function, chromatic tuner



THR SESSION Session app for practicing along to your favorite songs.

Compatible with: iPhone 4S/iPhone 4/iPhone 3GS/iPod touch (4th generation) iOS5.0 or later



Full DAW Integration via USB 2.0 (Cubase, Logic etc.)

YOU SAY YOU WANT A REVOLUTION?

The **THR** revolution in home amplifiers continues with the introduction of three new THRs that bring inspiring and full-blown stage sounds into the home at a volume level the whole family will appreciate. An enormous variety of tones are now available from the ultimate guitarist's portable toolbox.



THR10X. The Ultimate in High Gain Tone at Home. This Ammo Box contains 5 newly modeled VCM channels ripped from the glowing valve hearts of 3 world famous amplifiers and 5 hard-hitting cabinets. We then added our clean/crunch model from the original THR10 for even more versatility.



Olive Green



THR10C. Combo and Boutique amplifiers drip from every vent on this blue baby. You'll swear that you smell the burning dust on the power tubes! 5 VCM Tweed 'n' Tolex amp & cabinet models that nail those often impossible to achieve 'just on the edge of breaking up' tones.



Dark Metallic Blue



THR5A. Microphone and Tube Pre-amp Models with re-vamped effects for the Acoustic Player. All new VCM CONDENSER and DYNAMIC mic models plus a warm TUBE pre-amp setting. Re-vamped effects & compression for the acoustic player, plus the compact THR5A chassis, make this THR a versatile busking partner and songwriter's toolkit.



Vintage Gold



SCTHR

THR SOFTCASE SCTHR

- Deluxe padded carry bag for Yamaha THR guitar amps
- Padded divider adapts to THR5 or THR10 models for custom fit
- Detachable shoulder strap

AMPS

GA15II

- Control Knobs: Drive, Drive Volumen, Clean Volumen, Bass, Middle, Treble
- Connections: Input, Phones (Mini Jack), Aux In (Mini Jack)
- Speakers: 16 cm Full Range x 1
- Rated Output: 15 W
- Dimensions: Width 291 mm, Height 189 mm, Depth 300 mm
- Weight: 5 kg





CASES

- CASE-APX Case for flat APX models
- CASE-CPX Case for CPX models

MIDI FOOT CONTROLS

• MFC10 128 presets, foot pedal, bank select

TUNERS

• YT250 Guitar Tuner LCD, chrom. 7 Oct.

• YT150 Guitar Tuner LCD
• YT100 Guitar Tuner LED



YT250



YT150



YT100

CLIP-ON GUITAR TUNERS

YTC10

- Sensitivity Option of High or Low depending on Background Volume
- Calibration/Pitch Shift: A4=415Hz, 435Hz-446hz
- On-Board Auto-Tune is featured and a useful automatic
- Power Off Function

YTC5

- Standard Pitch A4=440Hz
- Clip-On Tuner for Guitar Products (Guitar/Bass/Ukulele)
- Auto-Tune featured
- Backlight with a battery life of 25 hours



YTC10



YTC5

STRINGS FOR ELECTRIC GUITARS







■ ELECTRIC GUITARS

EN09 Super LightEN10 LightEN11 Standard

EN09HB Light Top / Heavy Bottom
 EN10HB Light Top / Heavy Bottom
 EN10DS Strings for Drop6
 EN11DS Strings for Drop6
 EN12DS Strings for Drop6

STRINGS FOR APX GUITARS





APX GUITARS

AEP12 Phosphor Bronze LightAEN12 Standard Nylon

STRINGS FOR CLASSIC GUITARS





• CN 10 Standard Tension Nylon

STRINGS FOR FOLK GUITARS








■ FOLK GUITARS

• FB10 80/20 Bronze Super Light • FB12 80/20 Bronze Light • FB13 80/20 Bronze Medium • FB1200 80/20 Bronze Light 12-String • FP10 Phosphor Bronze Super Light Phosphor Bronze Light • FP12 • FP13 Phosphor Bronze Medium • FP1200 Phosphor Bronze Light 12-String • FS50BT Anti-Rust Light (0.12 - 0.52)





With Mr Big launching a new album and going back on the road in 2011, **BILLY SHEEHAN'S** incredible Attitude signature bass sees its 21st anniversary, its third major version, and the first major update in 17 years. Built to Billy's exacting requirements, the **Attitude Limited 3** features construction details first launched on the incredible Super-BB basses melded together with all-new details to make this the hardest-hitting, highest performance Yamaha bass to date.



HANDMADE IN JAPAN

Body: Alder (A.R.E.)
Neck: Maple
Fingerboard: Maple
Scale: 863 mm


• Frets: 21


Pickups: 2x DiMarzioHardware: Yamaha Black,

HipShot (D-Tuner)

• Colours: Sonic Blue, Black







NATHAN EAST has appeared on countless albums and has toured with some of the biggest names in modern music. Whether he's playing blues with Eric Clapton, pop with Phil Collins, or contemporary jazz with Fourplay, Nathan relies on his **BBNE 2** signature 5-string bass to deliver the tone he needs. Featuring neck-through construction, the two-octave neck is built from maple and mahogany with an ebony fingerboard inlaid with figured abalone. Matching mother-of-pearl tuners complete the look. The unique BB body is made of maple and alder for a fat sound with plenty of definition. The BPZ-7 bridge features individual, machined saddles that provide precise intonation, a low profile, and an elegant look. The stacked Alnico humbuckers run through Yamaha's 5-control active electronics, which feature a custom 3-band EQ with a switchable mid-cut to provide sonic versatility for any situation.

BBNE 2

HANDMADE IN JAPAN

• Body: Alder

Neck: Maple, Mahogany

Fingerboard: EbonyFrets: 24Scale Length: 34"

• Pickups: 2x Alnico V Stack

• Controls: Master Volume, Balancer,

3-Band EQ, MCF

Hardware: Yamaha GoldColours: Black, White








Perfectly matched to the incredible playing of it's creator, the **TRB JP2 JOHN PATTITUCCI** model offers incredible custom specification and premium construction to create a bass that's ready for any call. The **TRB JP2**'s alder/ash/maple body features sculpted cutaways that hug a super-low action 26-fret bolt-on neck and allow easy access to its upper reaches. Electronics include a pair of Alnico V humbuckers and an active 3-band EQ tuned to John's own specs. The **TRB JP2** sports full custom-spec hardware including white perloid peg heads which aid in balancing the long scale 35" neck while adding great looks. A solid brass bridge completes the package, delivering a clear, rich sound with huge sustain.





TRB JP2

HANDMADE IN JAPAN

Body: Alder, AshTop: MapleNeck: Ahorn, Maple

Fingerboard: EbonyFrets: 26Scale Length: 34"

• Pickups: 2 x Double Coil

• Controls: Master Volume, Balancer,

3-Band EQ

• Hardware: Yamaha Gold


• Colours: Amber, Translucent Dark Red





With high-grade Alder bodies crowned by stunning Quilted Maple tops and rock-solid 5-piece bolt-on Maple necks with Rosewood fingerboards, these four-, five- and six-strings dig low and stay punchy. The 35" super long scale offers a tight feel with plenty of attack, even on earth-shaking low notes.

All three TRBs feature two Alnico hum-canceling pickups, made exclusively for the series in our Japanese factory. The pickups are mated to an active preamp that features a three-band EQ, master volume and blend controls. High-precision die-cast machines ensure stress-free tuning, while solid brass bridges guarantee the perfect transfer of string vibrations to the body, delivering endless sustain.



As TRB1006J, but 5-string version



TRBX500 SERIES ACTIVE - PASSIVE EQ / ALNICO PU / BATTERY ALERT / EASY TO PLAY

TRBX is clearly aimed at the Bass Guitar player moving through the ranks in instrument terms. Naturally intermediate players will be interested in TRBX. Partly because of the looks and partly because of the versatility TRBX offers versus what they currently play. However professionals will definitely be interested in the **TRBX500** due to the competitive specifications (materials and pick ups) and that really useful Active/Passive option.



TRBX505 – 5 STRING

• Body: Mahogany

Neck: Maple/Mahogany 5pc.

Fingerboard: RosewoodScale: 864 mmFrets: 24

• Pickups: Yamaha Alnico HU/Active-Passive

Hardware: Yamaha Black Chrome
 Colours: Translucent Black (TBL),

Translucent White (TWH),
Translucent Brown (TBN)

• Control: Vol., Tone, Bass, Mid., High,

Aktiv/Passiv Switch

TRBX504 - 4 STRING

• Body: Mahogany

• Neck: Maple/Mahogany 5pc.

Fingerboard: RosewoodScale: 864 mmFrets: 24

• Control:

• Pickups: Yamaha Alnico HU/Active-Passive

Hardware: Yamaha Black Chrome
 Colours: Translucent Black (TBL),

Translucent White (TWH), Translucent Brown (TBN)

Vol., Tone, Bass, Mid., High,

Aktiv/Passiv Switch



TRBX300 SERIES - 5 EQ STYLE SWITCH / CERAMIC PU / LAMINATED NECK/ THUMBREST

TRBX300 is clearly aimed at the Bass Guitar player moving through the ranks in instrument terms. Naturally intermediate players will be interested, partly because of looks and partly because of the versatility TRBX offers versus what they currently play.

TRBX305 - 5 STRING

Body: Mahogany

• Neck: Maple/Mahogany 5pc.

• Fingerboard: Rosewood • Scale: 864 mm • Frets: 24

• Pickups: Yamaha Ceramic HU/5 EQ Style Switch

(Slap, Pick, Flat, Finger, Solo)

• Hardware: Yamaha Black Chrome • Colours: Black (BL), White (WH),

Candy Apple Red (CAR),

Pewter (PWT), Mist Green (MGR)

TRBX304 - 4 STRING

As TRBX305 but 4 Strings



Old Violin Sunburst Red Metallic Dark Blue Metallic



Apple Red

TRBX 174

• Body: Alder • Neck: Maple

• Fingerboard: Sonokeling

• Scale: 863,6 mm • Nut Width: 40mm

• Pickup: 1x Split SC, 1x SC

• Tuner: Yamaha Chrome

• Bridge: Vintage Chrome

· Color: Black, Old Violin Sunburst, Red Metallic, Dark Blue Metallic

SUPER BB

The Yamaha BB has been on stage for 25 years now and is firmly established as an international bass favourite. In the studio, BB players have also laid down a huge number of mega-hit grooves. 2010 begins a new era in the history of the BB-Series. The leader in the world of high-end bass guitars is first to meet the demands of a new generation of players. The BB2024/2025 "Super BB" is the result of close cooperation between designers and top players, a new approach to producing the high-end bass of the future.

BB2025X

HANDMADE IN JAPAN

Body: Alder (A.R.E.)

Neck: Maple, Mahogany (5-ply)

• Fingerboard: Rosewood • Scale Length: 35", Frets: 21 • Neck PU: 1 x Alnico V • Bridge PU: 1 x Ceramic

• Controls: Master Volume, Tone,

Toggle Switch

• Pickguard: Black • Control Panel: Chrome

 Hardware: Yamaha Chrome

• Colours: Black,

Vintage White, Vintage Sunburst

Black



The Super BB maintains the distinctive Yamaha BB design, made famous by major players like Billy Sheehan, Nathan East, Michael Anthony and Tony Kanal.





Vintage White

As BB2025X, but 4-string Colours: Black, Vintage White, Vintage Sunburst











BB2024

As BB2025,

but 4-string version Colours: Black, Natural,

Vintage Sunburst









Black

BB2025

HANDMADE IN JAPAN

• Body: Maple (A.R.E.)

• Neck: Maple, Mahogany (5-ply)


• Fingerboard: Rosewood • Scale Length: 35", Frets: 21 • Neck PU: 1 x Alnico V • Bridge PU: 1 x Ceramic

• Controls: Master Volume/Tone,

Toggle Switch

• Hardware: Yamaha Chrome • Colours: Black, Natural, Vintage Sunburst





• Body: Maple

• Neck: Maple, Mahogany (5-ply)

• Fingerboard: Rosewood • Scale Length: 35", Frets: 21 • Neck PU: 1 x Alnico V • Bridge PU: 1 x Ceramic

• Controls: Master Volume/Tone,

Toggle Switch

Black • Pickguard: · Control Panel: Chrome

• Hardware: Yamaha Chrome

• Colours: Black, Caramel Brown, Vintage

White, Tobacco Brown Sunburst



As BB2025, but 4-string version Colours: Black, Natural, Vintage Sunburst





Black





BB1025

• Body: Maple

• Neck: Maple, Mahogany (5-ply)

• Fingerboard: Rosewood

• Scale Length: 35", Frets: 21 1 x Alnico V

• Neck PU: • Bridge PU: 1 x Ceramic

• Controls: Master Volume/Tone,

Toggle Switch • Hardware: Yamaha Chrome

• Colours: Black, Caramel Brown Vintage White,

Tobacco Brown Sunburst



BB1024

As BB1025, but 4-string version Colours: Black, Caramel Brown, Tobacco Brown Sunburst,

Vintage White





BB714BS (BILLY SHEEHAN)

Alder • Body:

Neck: Maple, Rosewood, Set-in

• Frets:

• Bridge: YAMAHA (chrome) • Pickups: P/Subbass-PickUp • Tuner: Gotoh/Chrome

Volume, Balance, Tone Controls:

• Hardware: Yamaha Chrome • Colours: Red Lava, Black





Red Lava

BB425

• Body: Alder

• Neck: Maple/Rosewood,

Set-in

• Fingerboard: Rosewood

• Scale Length: 35" • Frets: 21

• Bridge: Yamaha Chrome • Pickups:

1x Split Single Coil, 1x Bar Single Coil

• Controls: Vol., Tone,

Toggle Switch

• Hardware: Yamaha Chrome

• Colours:

Black,

Red Metallic,

Tobacco Brown

Sunburst, Vintage White

Black



Sunburst

BB424

• Body: Alder

• Neck: Maple/Rosewood,

Set-in

• Fingerboard: Rosewood

• Scale Length: 35"

• Frets: 21

• Bridge: Yamaha Chrome

• Pickups: 1x Split Single Coil, 1x Bar Single Coil

Vol., Tone,

• Controls:

Toggle Switch

Yamaha Chrome • Hardware: • Colours:

Black, Tobacco Brown Sunburst, Vintage

White, Red Metallic

BB425X

• Body: Alder

Maple/Mahogany • Neck:

(5-Piece)

• Fingerboard: Rosewood

• Scale Length: 864 mm

• Frets:

• Pickups:

1x Bar Single Coil

• Hardware:

Colours:

1x Split Single,

Yamaha Chrome

Black, Old Violin

Sunburst, Vintage White, Red Metallic

Red Metallic

BB424X

• Body: Alder

• Neck: Maple/Mahogany

(5-Piece)

• Fingerboard: Rosewood

• Scale Length: 864 mm 21

• Frets:

• Pickups: 1x Split Single,

1x Bar Single Coil Yamaha Chrome

• Hardware:


Colours:

Black, Tobacco Brown Sunburst,

Vintage White, Red Metallic







$RBX5\Lambda2$

• Body: A.I.R. • Neck: Maple • Fingerboard: Rosewood

• Frets: 24 • Scale Length: 34"

• Tuners: Yamaha Custom • Pickups: 2 x Single Coil

• Controls: Front Volume, Rear Volume,

Master Tone

• Bridge: A.I.R. Mounting System • Colours: White/Aircraft Grey, Black

■ RBX4∧2

Body: A.I.R.Neck: MapleFingerboard: Rosewood

• Frets: 24
• Scale Length: 864 mm

Tuners: Yamaha CustomPickups: 2 x Single Coil

• Controls: Front Volume, Rear Volume,

Master Tone

Bridge: A.I.R. Mounting System
 Colours: White/Aircraft Grey, Black










PROFESSIONAL AUDIO

EUROPE.YAMAHA.COM



SOUNDING SO GOOD HAS NEVER BEEN THIS EASY

The **POCKETRAK PR7** is Yamaha's newest, ultra-portable linear PCM recorder that provides effortless high-quality recordings whenever and wherever you need. Equipped with a newly developed crossed XY stereo microphone, the PR7 captures high-resolution stereo recordings, achieving consistent quality and natural sound. An invaluable tool for any musician, the PR7 offers essential practice functions such as an onboard tuner and metronome, as well as powerful recording functions like overdubbing and marker editing – all easily accessed via a simple, intuitive interface. It even features five optimized presets tailored to a variety of applications, so whether you're rehearsing, songwriting, attending a speaking engagement or making a field recording, achieving studio quality sound has never been so easy.



POCKETRAK PR7

- Digital Recorder (compact & lightweight)
- Large crossed XY stereo microphone
- Up to 24 bit/96 kHz audio recording
- Features Overdubbing and Marker Editing during recording and playback
- 5 Recorder Presets
- Built-in tuner and metronome
- 2GB built-in memory
- Micro SD/SDHC card slot for up to 32GB storage
- Built-in speaker
- WaveLab LE included
- High Pass Filter
- Limiter for dynamic control

WAVELAB LE AUDIO EDITING SOFTWARE (BUNDLED)*

WAVELAB LE software provides 2-track audio editing with professional EQ and dynamics processing for mastering or enhancing your tracks.

*Access code for free download included in package


















POWER PERFECTLY PROCESSED

DSR-SERIES loudspeakers take portable loudspeakers to the extreme limits of their potential. Output levels are pushed to the highest sound pressure levels possible, yet in cabinets that are lightweight and compact. Sound resolution remains superb, no matter how hard or for how long the speakers are driven. Designed by applying our leading-edge digital and acoustic technologies developed over decades, the **DSR-SERIES** provides a listening experience that redefines high definition sound reinforcement.













••• EXTREMELY LOUD ••• COMPACT SPEAKERS WITH 48-BIT DSP AND FIR-X TUNING ••• PREMIUM GRADE TRANSDUCERS ••• 7-YEAR'S GUARANTY •••



Heavy-duty powdercoated steel grilles



LINE-X® coating (Damage resistant)



Locking IEC power connector



M10 rigging points for suspended installation (DSR115/DSR112).



Backside (DSR215/DSR115/ DSR112)

DSR215

IF: 2x15" cone
Voice Coil: 2.5"
Magnet: Ferrite
HF: Diaphragm 2"

• Type: 1" throat compression driver

Magnet: Neodymium

• Output power:

Dynamic: 1500W (LF: 1020W HF: 480W) Continuous: 1300W (LF: 850W HF: 450W)

• Max. SPL: 138dB SPL

• Dimensions: W 467 mm, H 1158 mm, D 520 mm

• Net weight: 49.8 kg





DSR115

• IF: 15" cone • Voice Coil: 3"

• Magnet: Neodymium

• HF: Diaphragm 2"

• Type: 1" throat compression driver

Magnet: Neodymium


• Output power:

Dynamic: 1500W (LF: 1020W HF: 480W) Continuous: 1300W (LF: 850W HF: 450W)

• Max. SPL: 136dB SPL

• Dimensions: W 442 mm, H 755 mm, D 423 mm

• Net weight: 28 kg



DSR112

• IF: 12" cone • Voice Coil: 3"

Magnet: NeodymiumHF: Diaphragm 2"

• Type: 1" throat compression driver

• Magnet: Neodymium

• Output power:

Dynamic: 1500W (LF: 1020W HF: 480W) Continuous: 1300W (LF: 850W HF: 450W)

• Max. SPL: 134dB SPL

• Dimensions: W 370 mm, H 638 mm, D 368 mm

Net weight: 21.2 kg

DSR118W

• LF: 18" cone

• Voice Coil: 3"

 Output power: Dynamic: 1020W Continuous: 800W

• Max. SPL: 132dB SPL

• Dimensions:

W 520 mm, H 638 mm, D 584 mm

• Material: Wood (Paint, Black)

• Pole socket: 35mm (Top x1)

• Net weight: 42 kg





Backside (DSR118W)

DSR SERIES

	DSR215	DSR115	DSR112	DSR118W
Transducer: LF	2x 15"cone / 2,5" Voice Coil	15" cone / 3" Voice Coil	12" cone / 3" Voice Coil	1x 18" cone / 2,5" Voice Coil
Transducer: HF	2" Diaphragm	2" Diaphragm	2" Diaphragm	-
Power Rating	1500W (LF:1020W/HF: 480W)	1500W (LF:1020W/HF: 480W)	1500W (LF:1020W/HF: 480W)	1020W
Maximum SPL	138 dB SPL	136 dB SPL	134 dB SPL	132 dB SPL
Frequency Range	45Hz - 20kHz	45Hz - 20kHz	55Hz - 20kHz	40Hz - 130Hz
DSP	D-Contour	D-Contour	D-Contour	-
Inputs / Outputs	In: XLR, Phone / Out: XLR	In: XLR, Phone / Out: XLR	In: XLR, Phone / Out: XLR	In: 2xXLR / Out: 2xXLR
Riggin Points	-	3 (fits for M10x18 mm eybots)	3 (fits for M10x18 mm eybots)	-
Pole Socket	-	35 mm (Bottom)	35 mm (Bottom)	35 mm (Top)
Cooling	Natural convection	Natural convection	Natural convection	Natural convection
Dimensions (WxHxD)	467 x 1158 x 520 mm	442 x 755 x 423 mm	370 x 638 x 368 mm	520 x 638 x 584mm
Material/Finish	Wood, Line-X	Wood, Line-X	Wood, Line-X	Wood, Line-X
Weight	49.8 kg	28.0 kg	21.2 kg	42. 0 kg

SPEAKER COVERS FOR DSR-SERIES

Yamaha Music Europe is pleased to present a new line of tough-as-nails armored speaker covers for DSR-Series. These newly designed covers are compact, collapsable & light in weight. They are an excellent choice for all situations where a full hard-shell case would prove impractical.









SCDSR112 FOR YAMAHA DSR112

- Padded Speaker Cover for DSR112
- Tearproof polyester material
- Pouch for cable
- Handle Cutout
- Yamaha Logo
- · Colour: Black

SCDSR115 FOR YAMAHA DSR115

- Padded Speaker Cover for DSR115
- Tearproof polyester material
- Pouch for cable
- Handle Cutout
- Yamaha Logo
- Colour: Black

SCDSR118 FOR YAMAHA DSR118W

- Padded Speaker Cover for DSR118W
- Tearproof polyester material
- Handle Cutout
- Yamaha Logo
- Colour: Black

POWER TO THE PEOPLE!

DXR SERIES loudspeakers offer superb high-definition sound and class-leading sound pressure levels – yet in a more compact and extremely functional design that provides a level of versatility unmatched by any speaker in its class today. Each DXR speaker provides two Class D digital amplifiers, one D-Contour multi-band compressor and comprehensive DSP-protections. In addition, all full range models feature Yamaha's proprietary FIR-X tuningTM utilizing linear phase FIR filters for the crossover network.



DXR Series loudspeakers developed in cooperation with NEXO.





••• EXTREMELY LOUD ••• INTELLIGENT 3-CHANNEL-MIXER ••• COMPACT SPEAKERS WITH 48-BIT DSP AND FIR-X TUNING ••• 7-YEAR'S GUARANTY •••



Dual-Angle Pole Mount Socket offers two positions – 0° and 7°



High-Efficiency 1100W Class-D Amplifiers



Durable, Compact ABS Enclosures



Backside (DXR15/DXR12/DXR10/DXR8)



DXR15

LF: 15" coneVoice Coil: 2.5"Magnet: Ferrite

• HF: Diaphragm 1.4"

• Type: 1" throat compression driver

Magnet: FerriteOutput power:

Dynamic: 1100W (LF: 950W HF: 150W)
Continuous: 700W (LF: 600W HF: 100W)

• Max SPL: 133dB SPL

Dimensions: W 445 mm, H 700 mm, D 380 mm

• Net weight: 22.5 kg

DXR12

LF: 12" cone
Voice Coil: 2.5"
Magnet: Ferrite
HF: Diaphragm 1.4"

• Type: 1" throat compression driver

Magnet: FerriteOutput power:

Dynamic: 1100W (LF: 950W HF: 150W) Continuous: 700W (LF: 600W HF: 100W)

• Max SPL: 132dB SPL

Dimensions: W 362 mm, H 601 mm, D 350 mm

• Net weight: 19.3 kg







LF: 10" coneVoice Coil: 2"Magnet: Ferrite

• HF: Diaphragm 1.4"

• Type: 1" throat compression driver

• Magnet: Ferrite

• Output power:

Dynamic: 1,100W (LF: 950W HF: 150W)
Continuous: 700W (LF: 600W HF: 100W)

• Max SPL: 131dB SPL

Dimensions: W 305 mm, H 502 mm, D 310 mm

• Net weight: 14.6 kg

DXR8

• LF: 8" cone

• Voice Coil: 2"

• Magnet: Ferrite

• HF: Diaphragm 1.4"

• Type: 1" throat compression driver

• Magnet: Ferrite

• Output power:

Dynamic: 1,100W (LF: 950W HF: 150W) Continuous: 700W (LF: 600W HF: 100W)

• Max SPL: 129dB SPL

• Dimensions: W 280 mm, H 458 mm, D 280 mm

Net weight: 13.5 kg



DXR/DXS SERIES

POWER IN VERSATILITY

DXS Series is a new line of compact, high output **ACTIVE SUBWOOFERS** that match perfectly with DSR and DXR full-range active loudspeakers.





DXS15

• LF: 15" cone

• Voice Coil: 2.5"

• Magnet: Ferrite

Max SPL: 132dB

• Output power: Dynamic: 950W, Continuous: 600W

• Frequency Range: (-10dB): 45Hz-160Hz

Dimensions: W 478 mm, H 618 mm, D 624 mm

Material: Wood (Paint, Black)
Pole socket: 35mm (Top x1)

• Net weight: 38.0 kg

DXS12

LF: 12" coneVoice Coil: 2.5"Magnet: Ferrite

Max SPL: 131dBOutput power:

Dynamic: 950W, Continuous: 600W

• Frequency Range: (-10dB): 47Hz-160Hz

Dimensions: W 397 mm, H 563 mm, D 594 mm

• Material: Wood (Paint, Black)


• Pole socket: 35mm (Top x1)

• Net weight: 33.0 kg



U-BRACKETS FOR DXR-SERIES FOR FLYING APPLICATION

The durable, portable design of its enclosure makes the **DXR-SERIES** perfectly suited for use in a variety of environments. All DXRs come equipped with rigging points, allowing them to be flown from trussing with standard eyebolts. (DXR8/DXR10: M8 x 15 mm and DRX12/DXR15: M10 x 18 mm). When more versatility is required, optional U-Brackets allow simple and easy rigging in both horizontal and vertical configurations.









U-BRACKET FOR
DXR8 UBDXR8 (piece)
DXR10 UBDXR10 (piece)
DXR12 UBDXR12 (piece)
DXR15 UBDXR15 (piece)

	DXR15	DXR12	DXR10	DXR8	DXS15	DXS12
Transducer: LF	15" cone/ 2" Voice Coil	12"cone/ 2" Voice Coil	10" cone/ 2" Voice Coil	8" cone/ 2" Voice Coil	1x 18" cone / 2,5" Voice Coil	1x 18" cone / 2,5" Voice Coil
Transducer: HF	1,4" Diaphragm	1,4" Diaphragm	1,4" Diaphragm	1,4" Diaphragm	-	-
Power Rating	1100W (LF: 950W/ HF: 150W)	1100W (LF: 950W/ HF: 150W)	1100W (LF: 950W/ HF: 150W)	1100W (LF: 950W/ HF: 150W)	1020W	1020W
Maximum SPL	132 dB SPL	132 dB SPL	131 dB SPL	129 dB SPL	132 dB SPL	132 dB SPL
Frequency Range	49Hz - 20kHz	52Hz - 20kHz	56Hz - 20kHz	57Hz - 20kHz	40Hz - 130Hz	40Hz - 130Hz
DSP	D-Contour (FOH/Monitor)	D-Contour (FOH/Monitor)	D-Contour (FOH/Monitor)	D-Contour (FOH/Monitor)	-	-
Inputs/Outputs	In: XLR, Phone, RCA / Out: XLR	In: 2xXLR / Out: 2xXLR	In: 2xXLR / Out: 2xXLR			
Rigging Points	3 (fits for M10 x 18mm eybots)	3 (fits for M10 x 18mm eybots)	3 (fits for M8 x 15mm eybots)	3 (fits for M8 x 15mm eybots)	-	-
Pole Socket	35mm (Bottom) 0° and 7°	35mm (Top)	35mm (Top)			
Cooling	Fan cooling	Fan cooling	Fan cooling	Fan cooling	Fan cooling	Fan cooling
Dimensions (WxHxD)	445x700x380 mm	362x601x350 mm	305x502x310 mm	445x700x380 mm	478x61x624 mm	397x563x594 mm
Material/Finish	ABS, Matte black	ABS, Matte black	ABS, Matte black	ABS, Matte black	Wood, Paint, Black	Wood, Paint, Black
Weight	22.5 kg	19.3 kg	14.6 kg	13.5 kg	38 kg	33 kg

SPEAKER COVERS FOR DXR- AND DXS-SERIES



PADDED SHEATH FOR DXR15

- Gaps for carrying handles
- Yamaha logo
- Material: synthetic
- Color: black/purple



PADDED SHEATH FOR DXR12

- Gaps for carrying handles
- Yamaha logo
- Material: synthetic
- Color: black/purple



PADDED SHEATH FOR DXR10

- Gaps for carrying handles
- Yamaha logo
- Material: synthetic
- Color: black



PADDED SHEATH FOR DXR8

- Gaps for carrying handles
- Yamaha logo
- Material: synthetic
- Color: black



• PADDED SHEATH FOR DXS15

- Gaps for carrying handles
- Yamaha logo
- Material: synthetic
- Color: black/purple



PADDED SHEATH FOR DXS12

- Gaps for carrying handles
- Yamaha logo
- Material: synthetic
- Color: black/purple

POWER ON THE MOVE

DBR SERIES loudspeakers offer high-definition sound and high sound pressure levels in a compact and extremely leightweight speaker design. Each **DBR SPEAKER** provide two Class D digital amplifiers, one D-Contour multi-band compressor and comprehensive DSP-protections. Yamaha implemented FIR-X tuning™ tuning technology from DSR-Series which offers linear frequency and phase response.





Durable, Compact ABS Design



High Versatility and Functionality (2 Channel Mixer with XLR, Phone, RCA Inputs)



Symmetrical Enclosure Design for Mirror-Mode Floor Monitoring (DBR12/DBR15)



Extremely accurate 90x60 constant-directivity horn

DBR







	DBR15	DBR12	DBR10
Transducer: LF	15"	12"	10"
Transducer: HF	1,4"	1,4"	1"
Power Rating	1000 W	1000 W	700 W
Maximum SPL	132 dB SPL	131 dB SPL	129dB SPL
Frequency Range	49 Hz - 20 kHz	52 Hz - 20 kHz	55 Hz - 20 kHz
DSP	D-Contour (FOH/Monitor)	D-Contour (FOH/Monitor)	D-Contour (FOH/Monitor)
Inputs	In: XLR, Phone, RCA Out: XLR	In: XLR, Phone, RCA Out: XLR	In: XLR, Phone, RCA Out: XLR
Rigging Points	3x (M8 x 15 mm) (Bottom x2, Rear x1)	3x (M8 x 15 mm) (Bottom x2, Rear x1)	2x (M8 x 15 mm) (Bottom x 2)
Brackets (optional)	Wall-Bracket: BWS251-300 / BWS251-400 Ceiling-Bracket: BCS251 Baton-Bracket BBS251	Wall-Bracket: BWS251-300 / BWS251-400 Ceiling-Bracket: BCS251 Baton-Bracket BBS251	Wall-Bracket: BWS251-300 / BWS251-400 Ceiling-Bracket: BCS251 Baton-Bracket BBS251
Pole Socket	1	1	1
Cooling	Plastic	Plastic	Plastic
Dimensions	455 x 700 x 378 mm	376 x 601 x 348 mm	308 x 493 x 289 mm
Handles	2	2	1
Material/Finish	ABS	ABS	ABS
Weight	19.3 kg	15.8 kg	10.5 kg

••• HIGH-DEFINITION SOUND ••• INTELLIGENT 2-CHANNEL-MIXER ••• 48-BIT DSP AND FIR-X TUNING ••• LEIGHTWEIGHT POWERED SPEAKERS ••• 4-YEAR'S GUARANTY •••





DBR15

• LF: 15" cone

• Voice Coil: 2,5"

• Magnet: Ferrite

• HF: Diaphragm 1,4"

• Type: 1,4" throat compression driver

• Magnet: Ferrite

• Output power:

Dynamic: 1000W (LF: 800W HF: 200W) Continuous: 465W (LF:400W HF: 65W)

• Max SPL: 132dB SPL

• Dimensions: 455 x 700 x 378 mm

Net weight: 19,3 kg

DBR12

• LF: 12" cone

• Voice Coil: 2"

• Magnet: Ferrite

• HF: Diaphragm 1"

• Type: 1,4" throat compression driver

• Magnet: Ferrite

• Output power:

Dynamic: 1000W (LF: 800W HF: 200W) Continuous: 465W (LF:400W HF: 65W)

• Max SPL: 131dB SPL

• Dimensions: 376 x 601 x 348 mm

• Net weight: 15,8 kg





DBR10

LF: 10" coneVoice Coil: 2"Magnet: FerriteHF: Diaphragm 1"

• Type: 1" throat compression driver

Magnet: FerriteOutput power:

Dynamic: 700W (LF: 500W HF: 200W) Continuous: 325W (LF: 260W HF: 65W)

• Max SPL: 129dB SPL

• Dimensions: 308 x 493 x 289 mm

• Net weight: 10,5 kg

DBR COVERS WILL BE AVAILABLE IN Q4 2014

CBR SERIES – PASSIVE VERSION OF DBR SPEAKERS – WILL BE AVAILABLE IN DECEMBER 2014.
PLEASE CONTACT US FOR MORE INFORMATION.



PORTABLE PA SYSTEMS

The **STAGEPAS** features two sleek, lightweight speakers and a detachable powered mixer, along with one pair of speaker cables and a power cord, giving you a complete, extremely portable sound solution that can be set up quickly and easily in a variety of configurations and environments.





STAGEPAS 600i







STAGEPAS 600i

STAGEPAS 400i

Max. Power/Max. SPL	680 W / 129dB	400 W / 125dB
Speaker Unit	LF: 10" Cone / HF: 1.4" Voice Coil Driver	LF: 8" Cone / HF: 1" Voice Coil Driver
Channels	10 Channels	8 Channels
EQ	3-Band EQ	2-Band EQ
FX	SPX digital reverb	SPX digital reverb
Output Processor	Feedback Suppressor, 1-Knob Master EQ	Feedback Suppressor, 1-Knob Master EQ
Digital inputs	USB Audio for iPod/iPhone	USB Audio for iPod/iPhone
Speaker Mount	Yes	Yes
Phantom Power	30 Volt	30 Volt
Subwoofer Output	Yes	Yes
Dimensions (W x H x D)	Speaker: 335 x 545 x 319 mm Mixer: 348 x 197 x 135 mm	Speaker 289 x 472 x 275 mm Mixer 308 x 180 x 116 mm
Weights	25.4 kg	1 <i>7</i> .8 kg




IPOD/IPHONE DIGITAL CONNECTION

Enjoy high-quality playback while also charging your iPod/iPhone so you never have to worry about a drained battery messing with your performance.



SPX DIGITAL REVERB

One knob gives you access to four different high-quality reverb settings, perfect for vocals and acoustic instruments. Simply turn the knob to change the reverb type and time, and then you're ready to apply just the right amount of high-resolution effect to each channel.



FEEDBACK SUPPRESSOR

Avoid the uncomfortable feedback that plagues so many sound reinforcement novices and professionals alike. Usually found only on high-end gear, this intelligent function removes feedback automatically with the push of a button, giving you a clear, professional sound.

OPTIONAL ACCESSORIES

SCSTAGEPAS400

Trolley for Stagepas 400i (without image)

SCSTAGEPAS600

Trolley for Stagepas 600i (image similar)







BMS-10AMicrophone stand adaptor

THE FIRST CHOICE

The **MSP-SERIES** is the choice of top recording and production engineers who demand unmatched accuracy and resolution that reveals critical sonic details.











STUDIO

MONITORS



MSP7STUDIO

MSP5STUDIO

SW10STUDIO

Power	130 Watt (80 Watt LF + 50 Watt HF)	67 Watt (40 Watt LF + 27 Watt HF)	180 Watt
Transducer	LF: 6,5" / HF: 1"	LF: 5" / HF: 1"	LF: 10" /HF: -
Frequency Response	50 Hz - 40 kHz	50 Hz - 40 kHz	25 Hz - 150 kHz
Connectors	Inputs: XLR	Inputs: XLR/Phone	In/Outs: XLR
Controls	Level control, High/Low Trim	Level control, Low-Cut switch, High/ Low Trim	Level control, High Cut, Phase Switch
Dimensions	W 218 x H 330 x D 235 mm	W 179 x H 279 x D 208 mm	W 328mm x H 459 x D 476 mm
Weight	12.2 kg	7.9 kg	26.5 kg

MS101111

COMPACT MONITOR SPEAKER

- 10-cm full-range speaker with 10 watts output
- Three inputs: Mic 1 (Phone), Line ×2 (Phone & RCA Pin)
- Tone control (high/low)
- · Line output allows addition of an external speaker
- Options for stand or wall mounting (sold separately)
- Dimensions: W 147mm, H 214mm, D 192mm





MSP3

REFERENCE MONITOR SYSTEM

- Precision, fatigue-free monitoring for music production systems
- High-performance 20-watt power amplifier built in
- Compact size with the high-quality sound you expect from the MSP-Series
- Input jacks and controls for extended connectivity and setup flexibility
- Optional brackets allow installation in a variety of applications
- Dimensions: W 144mm, H 236mm, D 167mm

POWERED NEAR-FIELD MONITORS FOR THE HOME OR SMALL STUDIO

When choosing reference monitors for mixing and music production, accuracy is the prime consideration. Speakers that sound "good" on first impression may not necessarily be accurate. The **HS-SERIES** monitors provide an honest reference for your mix, rather than monitors that have been tweaked or coloured to deceptively sound impressive.



HS

	HS8/HS8W	HS7/HS7W	HS5/HS5W	HS8S
Power	120 Watt (75 Watt LF/ 45 Watt HF)	95 Watt (60 Watt LF/ 35 Watt HF)	70 Watt (45 Watt LF/ 25 Watt HF)	150 Watt
Transducer: LF	8"	6,5"	5"	8"
Transducer: HF	1 "	1"	1"	-
Frequency Response	38 Hz - 30 kHz	43 Hz - 30 kHz	54 Hz - 30 kHz	22 Hz - 160 Hz
Connectors	Inputs: XLR/Jack	Inputs: XLR/Jack	Inputs: XLR/Jack	Input: 2 x XLR / 2 x Jack Output: 2 x XLR (L&R) / 1 x XLR (EXT SUB)
Controls	Level Control / EQ: High Trim & Room Control	Level Control / EQ: High Trim & Room Control	Level Control / EQ: High Trim & Room Control	Level Control / PHASE / HIGH CUT control / LOW CUT control / LOW CUT switch
Weight	10.2 kg	8.2 kg	5.3 kg	12.5 kg


OPTIMUM RESPONSE IN ANY ROOM

HS Series full-range models give you extra room-matching speaker placement versatility with **ROOM CONTROL** and **HIGH TRIM** response control switches that are specifically designed to compensate for common acoustic deficiences and monitoring needs. For inputs, HS full-range speakers can accommodate a wide range of balanced and unbalanced sources such as mixers, keyboards and audio interfaces with XLR and TRS phone jacks.






HS10W (Former Model)



HS8S (New Model)

CUTTING EDGE NOISE REDUCTION TECHNOLOGY

By adopting an advanced noise reduction technology that incorporates a thorough analysis of a visual representation of the sound, Yamaha's engineers are able to control and reduce the vortex. Through this in-depth analysis we have arrived at the ideal port design, resulting in a reduction of audible noise up to 6dB. The utilization of this state-of-the-art technology allows HS Series studio monitors to meet the demands of more strict professional production environments.



••• REFERENCE MONITORS FEATURING THE LEGENDARY YAMAHA WHITE CONES ••• BI-AMPLIFICATION •••

CLUB V-SERIES AMERICAN SPEAKERS

Musicians all over the world made the first four generations of Yamaha American Series Speakers incredibly popular. Generation V continues this success story: larger enclosures for improved low-frequency performance, improved drivers for higher power handling, redesigned crossovers, stronger grills, and dual Speakon® and 1/4" connectors.



- Ideally matched to EMX powered mixers or P-Series Amplifiers
- For installation applications flying versions (VA) available
- 35mm pole sockets (on all non-flying models)



	CM10 SM10V	CM12V SM12V	CM15V SM15V	C112V S112V	C112VA
TYPE	10" 2-way bass reflex	12" 2-way bass reflex	15" 2-way bass reflex	12" 2-way bass reflex	12" 2-way bass reflex
Frequency range Power handling	70Hz-20kHz (-10dB) 250 Watts	60Hz-16kHz (-10dB) 350 Watts	55Hz-16kHz (-10dB) 500 Watts	60Hz-16kHz (-10dB) 350 Watts	60Hz-16kHz (-10dB) 350 Watts
(programme)					
Impedance Sensitivity (1W,1m)	8 Ohm 96dB	8 Ohm 97dB	8 Ohm 99dB	8 Ohm 97dB	8 Ohm 97dB
COMPONENTS					
LF driver	10"cone	12"cone	15" subwoofer	12"cone	12"cone
HF driver	1"vc, Ph	2"vc, Ti	2" pressure chamber, Ti	2″vc, Ti	2″vc, Ti
MISCELLANEOUS					
Textured paint	CM10V	CM12V	CM15V	C112V	•
Felt cover	SM10V	SM12V	SM15V	S112V	
Handle	Strap handle x1	Recessed handle, metal x1	Recessed handle, metal x1	Recessed handle, metal x2	-
Input terminals	Speakon x2, jack x2	Speakon x2, jack x2	Speakon x2, jack x2	Speakon x2, jack x2	Terminal connection
WEIGHT					
Dimensions mm (WxHxD) Net weight	556 x 349 x 273 C: 13.3 kg S: 13 kg	628 x 410 x 339 C: 21.8 kg S: 21.4 kg	715 x 479 x 339 C: 28.8 kg S: 28 kg	416 x 628 x 329 C: 21.3 kg S: 20.8 kg	416 x 620 x 329 21.8 kg



CM10V SM10V



CM12V SM12V



CM15V SM15V



C112V S112V



C112VA



C115V S115V	C115VA	C215V S215V	CW115V SW115V	CW118V SW118V	CW218V SW218V
15" 2-way bass reflex	15" 2-way bass reflex	15″x2 2-way bass reflex	15" bass reflex	18" bass reflex	18"x2 bass reflex
55Hz - 16kHz(-10dB) 500 Watts 8 Ohm	55Hz - 16kHz(-10dB) 500 Watts 8 Ohm	42Hz - 16kHz(-10dB) 1000 Watts 4 Ohm	35Hz - 2kHz(-10dB) 500 Watts 8 Ohm	30Hz - 2kHz(-10dB) 600 Watts 8 Ohm	30Hz - 2kHz(-10dB) 1200 Watts 4 Ohm
99dB	99dB	99dB	95dB	96dB	98dB
15" cone	15" cone	15" cone x2	15" cone	18" cone	18" cone x2
2"vc,Ti	2″vc,Ti	2″vc,Ti	-	-	-
C115V S115V		C215V S215V	CW115V SW115V	CW118V SW118IV	CW218V SW218V
Recessed handle, metal x2	-	Recessed handle, metal x2	Recessed handle, metal x2	Recessed handle, metal x2	Recessed handle, metal x2
Speakon x2, jack x2	Terminal connection	Speakon x2, jack x2	Speakon x2, jack x2	Speakon x2, jack x2	Speakon x2, jack x2
485 x 715 x 373	485 x 715 x 373	491 x 1163 x 593	500 x 607 x 528	605 x 720 x 637	1217 x 574 x 655
C: 30.3 kg S: 29.4 kg	29.9 kg	C: 47.5 kg S: 47.2 kg	C: 28 kg S: 28.2 kg	C: 37.2 kg S: 39 kg	C: 64.7 kg S: 65.4 kg



C115V S115V



C115VA



C215V S215V



CW115V SW115V



CW118V SW118V



CW218V SW218V

"SOUND DESIGN MADE IN USA"

descendents of the legendary concert CLUB-SERIES.

While maintaining the great sound of the concert **CLUB-SERIES**, the **BR-SERIES** provides cost-effective speakers in three configurations to match a wide range of applications. It's excellent portability and placement flexibility that characterized previous models in the series, and featuring the same tasteful design, makes the **BR-SERIES** a great sound solution in a medium-scale application for bands, clubs, halls, rehearsal studios, retail or school events.

PASSIVE BR SERIES

- Outstanding audio quality with titanium diaphragm HF drivers
- An ideal match for the EMX-Series powered mixers and P-Series power amps
- Design that carries on the simple sophistication of the Concert Club-Series
- Speaker stand pole sockets on all models

	BR15	BR15M	BR12	BR12M	BR 10
TYPE	2-way Bass Reflex				
Frequency Response	65Hz - 20kHz				
Power Handling / Noise	200W	200W	150W	150W	125W
Programme	400W	400W	300W	300W	250W
Peak	800W	800W	600W	600W	500W
Impedance	8 Ohms				
Sensivity (1W,1m)	98dB SPL	98dB SPL	97dB SPL	97dB SPL	96dB SPL
COMPONENTS					
LF	15" cone	15" cone	12" cone	12" cone	10" cone
HF	Horn with 1" voice coil				
	& Titanium-diaphragm				
Dispersion	90H x 40V	40H x 90V	90H x 40V	40H x 90V	90H x 40V
FEATURES					
Felt Cover	•	•	•	•	•
Handles	2x metal handle	1x metal handle	1x metal handle	1x metal handle	1x metal handle
Connectors	2x 6.3mm jack				
Dimensions	485 x 656 x 365	652 x 487 x 365	403 x 569 x 335	569 x 407 x 334	385 x 538 x 297
Weight	21.3kg	20.9kg	16kg	15.6kg	14.4kg












BR15

BR15M

BR12M

BR10



P-SERIES - POWER AMPS

Robust power output, superior audio quality, efficient operation, versatile I/O and Yamaha speaker processing in power amplifiers that deliver high performance and high value. All models have XLR and 1/4" inputs, Speakon, binding post and 1/4" outputs. Processing includes: low-cut filter and subwoofer crossover, and Yamaha's Speaker Processor switching (YSP). Those on a budget will find the lineup's high power output and affordable prices offer superior quality without putting a strain on allotted funds. Further savings are realized with extremely efficient operation utilizing Yamaha's exclusive EEEngine technology, which keeps operational costs down by significantly reducing AC power consumption and heat generation.

P7000S

2x 950 Watts 4 Ohm or 2x 700 Watts 8 Ohm Dimensions: W 480 x H 88 x D 456 mm





P5000S

2x 700 Watts 4 Ohm or 2x 500 Watts 8 Ohm Dimensions: W 480 x H 88 x D 456 mm

P3500S

2x 450 Watts 4 Ohm or 2x 350 Watts 8 Ohm Dimensions: W 480 x H 88 x D 456 mm


P2500S

2x 310 Watts 4 Ohm or 2x 250 Watts 8 Ohm Dimensions: W 480 x H 88 x D 456 mm

CAPTURE THE PERFECT MOMENT

ing on the proven configuration of its predecessors to create a compact digital mixer that meets the needs of an expanding user base. Now with 16 in/16 out USB 2.0 audio streaming at an impressive 96kHz, the full suite of Yamaha's acclaimed Virtual Circuitry Modeling DSP effects and newly improved studio-quality head amps.















01V96i





01V96i

- 24 Bit/96 kHz audio processing
- Integrated USB 2.0 interface streams 161/160 channels of audio
- Built-in VCM effects
- 40 inputs, 20 Buses at 96 kHz
- 16 analogue inputs
- Mini-YGDAI slot for I/O expansion
- Built-in optical ADAT interface
- 17 motorised faders (100 mm)
- Surround support
- Cascade link
- Studio Manager and Software Editor
- · Controller function for DAW software

ADD-ON EFFECT PROGRAMMES - ALREADY INCLUDED!

Master Strip










Reverb

Vintage Stomp Package



96KHZ MULTI-TRACK LIVE RECORDING WITH A SINGLE CONNECTION

To meet the increasing demand for multi-track recording and playback in live sound applications, the **01V96i** now features **USB 2.0 CONNECTIVITY** – allowing you to effectively take your studio on the road with you. With **16 IN/16 OUT LIVE AUDIO STREAMING AT 96KHZ AND SEAMLESS DAW INTEGRATION** requiring just a single connection, it has never been easier to capture, edit and produce high quality, professional level recordings. USB connectivity also provides extensive two-way communication of MIDI data allowing you to seamlessly combine the precise physical control of your console with all the capability of the latest Cubase AI software that comes bundled with the **01V96i**.



These incredibly unique **ADD-ON EFFECT PROGRAMMES** were specially designed for the 96kHz audio DSP in Yamaha's digital consoles. Three of the four add-ons (AE-011 & AE-021 & AE-051) feature Virtual Circuitry Modeling that physically model analogue circuitry... right down to the last resistor and capacitor. VCM technology captures subtleties that simple digital simulations can't approach and faithfully recreates the sound of much sought after vintage gear. The packages include:





∧E-011

Channel Strip (Comp276/S, Comp260/S, EQ601)

Five models that employ VCM (Virtual Circuitry Modeling) technology to recreate the sound and characteristics of several classic compression and EQ units from the '70s. **Already included in 01V96i!**



ΛF-021

Master Strip (OpenDeck: Swiss'70/'78/'85, American,70)

Open Deck VCM technology recreates both the analogue circuitry and tape characteristics that shaped the sound of open-reel tape recorders. The choice of "old" and "new" tape types, tape speed, bias, and EQ settings that can vary the "focus" of the sound, distortion and saturation characteristics are also available. Already included in 01V96!!



ΛE-031

Reverb (REV-X Hall, REV-X Room, REV-X Plate)

"REV-X" algorithms, first introduced in the SPX2000 professional effect processor, deliver the richest reverberation and smoothest decay available. REV-X Hall, REV-X Room, and REV-X Plate programmes offering unprecedented definition and nuance control. **Already included in 01V96!**



∧E-051

Vintage Stomp Package

Here VCM technology is supplying genuine models of classic must-have foot stompers from the 70s that helped to shape the sound of musical history. The package contains three different phasing stomp box models: MAX100, Vintage Phaser and Dual Phaser – all in that good old look. **Already included in 01V96i!**

DIGITAL INTERFACES

INPUTS AND OUTPUTS	CONNECTION	01V96	DA824
8 CH analogue In (24 Bit)	8x balanced 1/4 inch connectors	•	
4 CH analogue In (24 Bit)	XLR-3-31 Typ x4	•	
4 CH analogue Out (20 Bit)	XLR-3-32 Typ x4	•	
8 CH ADAT In & Out (24 Bit)	Toslink Optical x2	•	•
8 CH AES/EBU In & Out (24 Bit)	25-Pin D-Sub x1	•	•
8 CH TDIF In & Out (24 Bit)	25-Pin D-Sub x1, BNC x1	•	•
8 CH analogue In (24 Bit, 96 kHz)	25-Pin D-Sub x1	•	
8 CH analogue Out (24 Bit, 96 kHz)	25-Pin D-Sub x1	•	
8 CH AES/EBU In & Out (24 Bit, 96 kHz)	25-Pin D-Sub x1	•	
8 CH AES/EBU In & Out (24 Bit, 96 kHz with Sample Rate Converter)	25-Pin D-Sub x1	•	
8 CH AES/EBU In & Out (24 Bit)	BNC x8 (AES In x4, AES Out x4) BNC x1 (Reference Video In with "eXi-Clock" sync capability)	•	
8 CH analogue In & Out (24 Bit, 96 kHz)	Euroblock Connector	•	
8 CH Multiplex (24 Bit), 1xHD-SDI input	2×BNC	•	
8 CH Multiplex (24 Bit), 2xHD-SDI input	4×BNC	•	
Lake Mesa / Contour Processor, 8 In& Out, 96 kHz (SRC built in)	D-sub55pin (Aes/EBU 8 In & Out), RJ-45 (for Lake Controller	•	
Dan Dugan Automixer, support 16 CH, 8 x ADAT	Adat Optical (24 bit, 44.1/48kHz) x2, RJ-45 (10/100 Base T)	•	
16 CH Cobranet interface	2x RJ45 Terminals	•	
16 CH ADAT In & Out (24 Bit)	Toslink Optical x4	•	
16 CH AES/EBU In & Out (24 Bit)	25-Pin D-Sub x2	•	
16 CH Dante format (24Bit)	2x RJ45, 1x 9-Pin	•	
16 CH TDIF In & Out (24 Bit)	25-Pin D-Sub x2	•	
16 CH MADI interface up to 64 CH with MY16EX	2x BNC, 2x Optical 2x RJ45 Terminals	•	
16 CH EtherSound interface up to 64 CH with MY16EX RJ-45 x 2	Ethercon x2 9-Pin	•	
16 CH Expansion interface for Ethersound and MADI	RJ-45 x4	•	
	4 CH analogue In (24 Bit) 4 CH analogue Out (20 Bit) 8 CH ADAT In & Out (24 Bit) 8 CH AES/EBU In & Out (24 Bit) 8 CH TDIF In & Out (24 Bit) 8 CH analogue In (24 Bit, 96 kHz) 8 CH analogue Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit) 8 CH AES/EBU In & Out (24 Bit) 8 CH Multiplex (24 Bit), 1xHD-SDI input 8 CH Multiplex (24 Bit), 2xHD-SDI input 1 Cake Mesa / Contour Processor, 1 In & Out, 96 kHz (SRC built in) 1 Dan Dugan Automixer, 1 Support 16 CH, 8 x ADAT 1 CH Cobranet interface 1 CH ADAT In & Out (24 Bit) 1 CH AES/EBU In & Out (24 Bit) 1 CH Dante format (24Bit) 1 CH TDIF In & Out (24 Bit) 1 CH TDIF In & Out (24 Bit) 1 CH EtherSound interface 1 CH EtherSound interface 1 CH Expansion interface 1 CH Expansion interface	4 CH analogue In (24 Bit) 4 CH analogue Out (20 Bit) 5 CH ADAT In & Out (24 Bit) 6 CH AES/EBU In & Out (24 Bit) 7 Coslink Optical x2 8 CH AES/EBU In & Out (24 Bit) 8 CH analogue In (24 Bit) 8 CH analogue In (24 Bit) 8 CH analogue In (24 Bit, 96 kHz) 8 CH analogue Out (24 Bit, 96 kHz) 8 CH analogue Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 8 CH AES/EBU In & Out (24 Bit) 8 CH analogue In & Out (24 Bit, 96 kHz) 8 CH Aultiplex (24 Bit), 1xHD-SDI input 8 CH Multiplex (24 Bit), 1xHD-SDI input 4 xBNC 8 CH Multiplex (24 Bit), 2xHD-SDI input 4 xBNC 1 Cake Mesa / Contour Processor, 8 In & Out, 96 kHz (SRC built in) Dan Dugan Automixer, 2 x BJ-45 (for Lake Controller Adat Optical (24 bit, 44.1/48kHz) x2, 2 x RJ-45 (10/100 Base T) 16 CH Cobranet interface 2 x RJ-45 Terminals 16 CH ADAT In & Out (24 Bit) 16 CH ADAT In & Out (24 Bit) 16 CH Dante format (24 Bit) 16 CH TDIF In & Out (24 Bit) 25-Pin D-Sub x2 16 CH Dante format (24 Bit) 16 CH HMADI interface up to 64 CH with MY16EX 2x RJ-45 x 2 9-Pin 16 CH Expansion interface up to 64 CH with MY16EX RJ-45 x 2 9-Pin	4 CH analogue In (24 Bit) XLR-3-31 Typ x4 • 4 CH analogue Out (20 Bit) XLR-3-32 Typ x4 • 8 CH ADAT In & Out (24 Bit) Toslink Optical x2 • 8 CH AES/EBU In & Out (24 Bit) 25-Pin D-Sub x1 • 8 CH TDIF In & Out (24 Bit) 25-Pin D-Sub x1, BNC x1 • 8 CH analogue In (24 Bit, 96 kHz) 25-Pin D-Sub x1 • 8 CH analogue Out (24 Bit, 96 kHz) 25-Pin D-Sub x1 • 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 25-Pin D-Sub x1 • 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 25-Pin D-Sub x1 • 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 25-Pin D-Sub x1 • 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 25-Pin D-Sub x1 • 8 CH AES/EBU In & Out (24 Bit, 96 kHz) 25-Pin D-Sub x1 • 8 CH AES/EBU In & Out (24 Bit, 96 kHz) Euroblock Connector • 8 CH analogue In & Out (24 Bit, 96 kHz) Euroblock Connector • 8 CH Multiplex (24 Bit), 1xHD-SDI input 2xBNC • 8 CH Multiplex (24 Bit), 2xHD-SDI input 4xBNC • 8 CH Multiplex (24 Bit), 2xHD-SDI input 4xBNC • 10 CH Cobrant interface

DIGITAL HEART. ANALOG SOUL.


Not just for live bands and DJ's, the MG Series mixing consoles can easily adapt to a truly impressive range of applications from portable PA to fixed installation. Now with the newly added digital functions and superior sound of the MGP, the possibilities are endless.






D-PRE

Studio-grade, discrete Class-A mic preamps employ an inverted Darlington circuit design that features multiple circuitry elements in a multi-layered configuration in order to deliver more power with lower impedance.



X-PRESSIVE EQ

The precise response and very steep shelving of the high and low frequencies make the X-pressive EQ a powerful sound-shaping tool.







MGP32X

- 32 channels
- 24 Discrete Class A D-PRE mic preamps
- Musical X-pressive EQ
- 16 professional 1-knob Compressors with LED
- Dual digital effects processors: REV-X and Classic SPX
- Stereo Hybrid Channels DSP Effects (Leveler, Stereo Imager, Priority Ducker)
- Digital connectivity for iPod/iPhone
- USB devices recorder (16-bit WAV, MP3) and playback (Stereo Out)
- 31-band GEQ (9 flex-band /14 fixed-band)
- Master compressor (3-band) assigned to stereo bus
- Free MGP Editor

MGP24X

- 24 channels
- 16 Discrete Class A D-PRE mic preamps
- Musical X-pressive EQ
- 8 professional 1-knob Compressors with LED
- Dual digital effects processors: REV-X and Classic SPX
- Stereo Hybrid Channels DSP Effects (Leveler, Stereo Imager, Priority Ducker)
- Digital connectivity for iPod/iPhone
- USB devices recorder (16-bit WAV, MP3) and playback (Stereo Out)
- 31-band GEQ (9 flex-band /14 fixed-band)
- Master compressor (3-band) assigned to stereo bus
- Free MGP Editor





••• PREMIUM MIXING CONSOLES WITH UP TO 32 CHANNELS ••• D-PRE CLASS A MIC PREAMPS ••• 2 SEPARATED EFFECTS PROCESSORS (REV-X & SPX) ••• 1-KNOB COMPRESSORS ••• 2 HYBRID CHANNELS WITH DSP EFFECTS (DUCKER, STEREO IMAGE, LEVELER) ••• IPOD/IPHONE APP •••





MGP16X

- 16 channels
- 10 Discrete Class A D-PRE mic preamps
- Musical X-pressive EQ
- 8 professional 1-knob Compressors with LED
- Dual digital effects processors: REV-X and Classic SPX
- Stereo Hybrid Channels DSP Effects (Leveler, Stereo
- Imager, Priority Ducker)
- Digital connectivity for iPod/iPhone
- DSP settings via iPod/iPhone
- Rugged, impact-resistant, powder-coated metal chassis
- Integrated rack-ears for easy rack mounting
- Internal universal power supply for world-wide use

MGP12X

- 12 channels
- 6 Discrete Class A D-PRE mic preamps
- Musical X-pressive EQ
- 4 professional 1-knob Compressors with LED
- Dual digital effects processors: REV-X and Classic SPX
- Stereo Hybrid Channels DSP Effects (Leveler, Stereo
- Imager, Priority Ducker)
- Digital connectivity for iPod/iPhone
- DSP settings via iPod/iPhone
- Rugged, impact-resistant, powder-coated metal chassis
- Integrated rack-ears for easy rack mounting
- Internal universal power supply for world-wide use



MGP EDITOR BY YAMAHA CORPORATION

MGP EDITOR is a free software application that gives you additional control of your MGP mixer's DSP settings via your iPhone and iPod touch. With a simple and intuitive graphic display, **MGP EDITOR** gives you additional, detailed control of your REV-X and SPX effects parameters – as well as Hybrid Channel's Priority Ducker, Leveler and attenuator. With MGP32X and 24X, the settings of GEQ and Mastercompressor can be adjusted. Direct playback of iTunes play list is also possible.







- Requires an MGP mixing console
- Using a USB cable, connect your iPhone or iPod touch to the MGP's Apple Certified USB port



	MGP32X	MGP24X	MGP16X	MGP12X
Mixing Channels	32	24	16	12
D-PRE Mic Preamps	24	16	10	6
1-knob Compressors	16	8	8	4
Equalizer	3-band X-Pressive EQ	3-band X-Pressive EQ	3-band X-Pressive EQ	3-band X-Pressive EQ
FX Processors	2 separated (SPX & Rev-X Reverb)			
Hybrid Channels	2 with DSP Effects (Priority Ducker, Leveller, Stereo Image)			
iPod/iPhone App	Yes (USB port to connect and charge iPod or iPhone)	Yes (USB port to connect and charge iPod or iPhone)	Yes (USB port to connect and charge iPod or iPhone)	Yes (USB port to connect and charge iPod or iPhone)
3-Band Master Compressor	Yes	Yes	No	No
Graphic EQ	Yes (feature 14 band and flex 9 band)	Yes (feature 14 band and flex 9 band)	No	No
USB Device Recording	Yes (WAV or MP3)	Yes (WAV or MP3)	No	No
Aux Sends	4 (2x Pre/2x Pre/ Post switchable)	4 (2x Pre/2x Pre/ Post switchable)	2 (1x Pre/1x Pre/ Post switchable)	2 (1x Pre/1x Pre/ Post switchable)
Groups	4	4	4	4
Matrix	2	2	No	No
Rackmounts	Yes	Yes	No	No
Dimensions (WxHxD)	1207 x 169 x 565 mm	819 x 169 x 565 mm	447 x 143 x 495 mm	348 x 143 x 495 mm





MIXING CONSOLES





MG06/06X/10/10XU/12/12XU/16/16XU/20/20XU

- Flexible 10-strong lineup of completely re-designed mixing consoles (from 6 20 inputs)
- 5 standard versions and 5 versions with SPX effects processors (X/XU models)
- Class A D-PRE Mic Preamps with an inverted Darlington circuit
- Models above 10 inputs are equipped with newly upgraded 1-knob compressors
- 2-Band EQ (MG06) / 3-Band EQ (MG10/MG12) / Parametric 3-Band EQ (MG16/MG20)
- XU models provide a comprehensive suite of 24 different SPX effects (upgraded from the 16 effect version in the previous MG mixer series)
- MG06X is equipped with 6 SPX effects presets

- XU models feature USB 2.0 Audio Interface, compatible with iPad (2 or later) or iPhone (Apple iPad Camera Connection Kit with Lightning to USB Cable is needed)
- Powder-coated steel chassis provides improved structural strength
- XLR & Jack Outs / 26dB Pad button on all consoles
- Rack Mount Kit available for MG12/MG12XU
- All models with 12 or more channels also offer internal universal power supplies







MG20XU

- D-Pre mic preamps with inverted Darlington circuit
- Improved 1-Knob compressors
- High-grade effect: SPX with 24 programs
- 24-bit / 192khz 2 in / 2 out USB Audio Interface
- iPod compatible via Apple iPad Camera Connection Kit
- Includes Cubase AI DAW software download version
- PAD switch on mono inputs
- XLR balanced outputs
- +48V phantom power
- Internal universal power supply for world-wide use
- Rack Mount Kit included
- Metal chassis



















- D-Pre mic preamps with inverted Darlington circuit
- Improved 1-Knob compressors
- PAD switch on mono inputs
- XLR balanced outputs
- +48V phantom power
- Internal universal power supply for world-wide use
- Rack Mount Kit included
- Metal chassis



















MG16XU

- · D-Pre mic preamps with inverted Darlington circuit
- Improved 1-Knob compressors
- High-grade effect: SPX with 24 programs
- 24-bit / 192khz 2 in / 2 out USB Audio functions
- iPod compatible via Apple iPad Camera Connection Kit
- Includes Cubase AI DAW software download version
- PAD switch on mono inputs
- XLR balanced outputs
- +48V phantom power
- Internal universal power supply for world-wide use
- Rack Mount Kit included
- Metal chassis

























- D-Pre mic preamps with inverted Darlington circuit
- Improved 1-Knob compressors
- PAD switch on mono inputs
- XLR balanced outputs
- +48V phantom power
- Internal universal power supply for world-wide use
- Rack Mount Kit included
- Metal chassis





















MG12XU

- D-Pre mic preamps with inverted Darlington circuit
- Improved 1-Knob compressors
- High-grade effect: SPX with 24 programs
- 24-bit / 192khz 2 in / 2 out USB Audio functions
- iPod compatible via Apple iPad Camera Connection Kit
- Includes Cubase AI DAW software download version
- PAD switch on mono inputs
- XLR balanced outputs
- +48V phantom power
- Internal universal power supply for world-wide use
- Rack Mount Kit available as an option (RKMG12)
- · Metal chassis

















MG12

- D-Pre mic preamps with inverted Darlington circuit
- Improved 1-Knob compressors
- PAD switch on mono inputs
- XLR balanced outputs
- +48V phantom power
- Internal universal power supply for world-wide use
- Rack Mount Kit available as an option (RKMG12)
- Metal chassis















MG10XU





- D-Pre mic preamps with inverted Darlington circuit
- Improved 1-Knob compressors
- 24-bit / 192khz 2 in / 2 out USB Audio functions
- iPod compatible vie Apple iPad Camera Connection Kit
- Includes Cubase AI DAW software download version
- PAD switch on mono inputs
- XLR balanced outputs
- +48V phantom power
- Internal universal power supply for world-wide use
- Rack Mount Kit included
- · Metal chassis























MG10

- D-Pre mic preamps with inverted Darlington circuit
- Improved 1-Knob compressors
- PAD switch on mono inputs
- XLR balanced outputs
- +48V phantom power
- Metal chassis

















MG06X

- D-Pre mic preamps with inverted Darlington circuit
- High-grade effect: SPX with 6 programs
- PAD switch on mono inputs
- XLR balanced outputs
- +48V phantom power
- Metal chassis

















- D-Pre mic preamps with inverted Darlington circuit
- PAD switch on mono inputs
- XLR balanced outputs
- +48V phantom power
- Metal chassis













	D-PRE Class-A Mic Preamp	-knob	METAL CHASSIS	Universal Fauer Supply	Rack Mount		D-PRE Class-A Mic Preamp	(1 -knob comp	METAL CHASSIS	Universal Power Supply	Rack Mount	DIGITAL MULTI EFFECT PROCESSOR	24-bit/192 _{kHz}	CUBASE AI
MG06	•	-	•	-	-	MG06X	•	-	•	-	-	6	-	_
MG10	•	•	•	-	-	MG10XU	•	•	•	•	-	24	•	•
MG12	•	•	•	•	•	MG12XU	•	•	•	•	•	24	•	•
MG16	•	•	•	•	•	MG16XU	•	•	•	•	•	24	•	•
MG20	•	•	•	•	•	MG20XU	•	•	•	•	•	24	•	•

ACCESSORIES



MIXER SOFT CASE SC MG810 MG10



MIXER
SOFT CASE


SC MG1620
MG16 / MG20 /
MGP16X / EMX 5014C /
EMX 5016CF



What could be more convenient than having the MG06 (or the MG10) mounted on a microphone stand for freedom of placement and easy access? With the optional **BMS-10A** mic stand adaptor you can do just that, and have your sonic control center within easy reach all the time.

SERIOUSLY PROFESSIONAL POWERED MIXERS

If your sound reinforcement requirements are getting serious, but you still want convenience and reliable performance, check out the **EMX5014C** and **EMX5016CF** consoles. Both deliver an integrated power amplifier along with the input capacity and solid sound that critical live sound applications demand. Additionally, the **EMX-SERIES** provide flexible digital & analogue toolkits.







SCMG1620 **SOFT CASE** EMX5014C/EMX5016CF



EMX5016CF





RACK MOUNT KIT EMX5014C/EMX-5016CF

••• POWERED MIXERS WITH 2X500 WATT ••• ONE-KNOB COMPRESSORS ••• FEEDBACK DETECTION AND GRAPHIC EQUALIZER ••• SPX DIGITAL EFFECTS •••

EMX5016CF

EMX5014C

•		
Inputs	16 (8x Microphone)	14 (8x Microphone)
Power	500 W + 500 W (4 Ohm)	500 W + 500 W (4 Ohm)
Equalizer	9-band Digital Graphic EQ	9-band Graphic EQ
Effects Processor	2x SPX Effect Processors	SPX Effect Processor
Compressors	8 Compressors (1-Knob)	6 Compressors (1-Knob)
Digital Features	Maximizer, Automatic Feedback Supressor	-
Weight	11 kg	10.5 kg

INTEGRATED SOLUTIONS FOR SUPERIOR LIVE SOUND

When portability and convenience are important criteria the **EMX** powered mixers are the first choice. These sound systems provide the right features and performance to all experienced musicians, performers, speakers, and club operators.









EMX512SC



EMX312SC



EMX212S







SCEMXCUBE **SOFT CASE** EMX212S/312SC/512SC

••• PORTABLE LIGHT WEIGHT POWERED MIXERS ••• SPX DIGITAL EFFECTS ••• 7-BAND GRAPHIC EQUALIZER ••• ONE-KNOB COMPRESSORS AND FEEDBACK-DETECTION (EMX312SC/512SC) •••

	EMX512S	EMX312SC	EMX212SC
Inputs	12 (4x Stereo)	12 (4x Stereo)	12 (4x Stereo)
Power	500 W + 500 W (4 Ohm)	300 W + 300 W (4 Ohm)	220 W + 220 W (4 Ohm)
Equalizer	3-Band EQ 7-band Graphic EQ	3-Band EQ 7-band Graphic EQ	3-Band EQ 7-band Graphic EQ
Effects Processor	SPX with 16 Programmes	SPX with 16 Programmes	SPX with 16 Programmes
Compressors	4x Compressors (1-Knob)	4x Compressors (1-Knob)	-
Weight	8 kg	8 kg	8 kg

MULTI-EFFECT PROCESSOR





SPX2000

SPX WITH 24-BIT 96-KHZ PROCESSING AND ADVANCED REV-X REVERB ALGORITHMS


At the heart of the **SPX2000** is the effect processor, a 96-kHz audio DSP with 32-bit internal processing (58-bit accumulator). The 24-bit 128-times oversampling AD and DA converters deliver 106dB dynamic range and flat response from 20 Hz to 40 kHz at 96-kHz sampling rate.


The **SPX2000**'s rear panel houses XLR-type as well as input and output jacks for analogue connections, all fitted with +4dBU/-10dBu selector switches. Professional digital connection is secured with an AES/EBU-format interface and a BNC Wordclock IN connector.


"SPX2000 EDITOR" FOR MAC OSX AND WINDOWS

SPX2000 Editor gives you programming, data management and remote control of your effect device via computer. The professional software environment provided here is the same one that, as STUDIO MANAGER, already controls Yamaha Digital Consoles.

- Multi-Effect processor with 24-bit AD/DA converter
- Overall frequency 20 Hz 40 kHz
- Outstanding preset programmes and new REV-X reverb algorithms
- SPX 2000 editor for Mac OSX and Windows
- Superior presets for live and studio applications
- 19" rack mountable











DIGITAL CONVERTERS





8-CHANNEL 24-BIT/96KHZ MIC-PREAMP

Inheriting the unprecedented sonic quality of the PM5000, an eight-channel analogue-to-digital converter supporting sampling rates of up to 96kHz and Head Amp Remote Control from the DM2000 and DM1000. This allows a high-degree of integration with digital mixers. The AD8HR features eight XLR connectors and 2x 8 channel AES/EBU terminals packed into a compact 1U design.



DA824

24-BIT D/A CONVERTER

- Balanced XLR and 1/4" jack outputs
 Adjustable maximum output level +4,+15,+18,+24dBu
- Mini-YGDAI card slot (ADAT, TASCAM, AES/ EBU) Signal, Nominal and Peak LED indicators
- Wordclock input

EQUALIZER



Q2031B

GRAPHIC EQUALIZER

 2×31 -band graphic equalizer. 6 or 12dB boost/cut around mid-range frequencies in 1/3-octave intervals (ISO) from 20 Hz to 20 kHz. Offers both balanced XLR connections and unbalanced phone jacks. (19''/2HE)

MIC/LINE PREAMPLIFIER






8-CHANNEL MICROPHONE AMPLIFIER

- 80 Hz HPF, 26 dB PAD, 48V phantom power all per channel Outputs: 25-pin D-Sub and Euro block
- The ideal microphone line preamplifier
 for 01V96i (MY8-AD 96 required)






	Club V	BR	MG06/ MG10	STAGEPAS 600i	STAGEPAS 400i	DSR	DXR/ DBR	MSR 100	MSR 250/400	MSP3/ MS101III	MSP7
STAGEPASPKSTD High stand, aluminum, height adjustable, up to 2 m, very robust	•	•		•	•	•	•	•	•		
BAS10 Free angle clamp, revolving table-top clamp stand										•	
BBS251 Baton bracket black				•	•		•	•	•		
BC\$251 Ceiling assembly black				•	•		•	•	•		
BMS10A Mic stand adapter, adjustable angle black			•	•	•					•	
BWS20 190 Wall assembly, diameter 20 mm length 190 mm										•	
BWS251 300 Wall assembly, distance to wall = 300 mm							•		•		

	Club V	BR	MG06/ MG10	STAGEPAS 600i	STAGEPAS 400i	DSR	DXR/ DBR	MSR 100	MSR 250/400	MSP3/ MS101III	MSP7
BWS251 400 Wall assembly distance to wall = 400 mm							•		•		
BW\$50 190 Wall assembly, diameter 50mm, length 190mm											•
BW\$50 260 Wall assembly diameter 50mm, length 260mm											•
STAGEPASMOUNT Speaker flange for mounting speakers on stands								•			
STAGEPASMIXSTD Microphone stand to attach mixers with BMS10A adaptor			•	•	•						
STAGEPAS TROLLEY 400 Rolling soft case					•						
STAGEPAS TROLLEY 600 Rolling soft case				•							


















CP1





CP1 STAGE PIANO

- YAMAHA'S STAGE PIANO FLAGSHIP
- SPECTRAL COMPONENT MODELING
- VINTAGE E-PIANOS & PIANO SOUNDS ACT LIKE REAL INSTRUMENTS
- NW-STAGE WOODEN KEYBOARD WITH SYNTHETIC IVORY KEYTOPS
- 88 weighted natural wooden keys (NW-stage balanced hammer)
- 128 note polyphony, 44 Performances, 44 User Performances, 44 External Performances (on USB stick)
- Spectral Component Modeling system based on 5 system blocks:
 Piano (AP-EP-FM), Pre-Amp, Modulation Effect, Power Amplifier/Compression,
 Speaker Simulator
- 17 Piano Types, unique sound enhancement: damper resonance, hammer stiffness, striking position
- Real FM engine used for DX Piano
- Pre-amplifier with piano type optimized tone controls (bass, treble, overtone)
- Versatile collection of vintage modulation effects (phaser, flanger, pedal wah, chorus...)
- Power Amp/Compressor adds vintage character
- Reverb block of exquisite reverb algorithms developed by Yamaha
- 2 keyboard parts, 4-zones masterkeyboard, 5-band Master-EQ
- Half-damper pedal unit included, connectors for 3 additional pedals
- Connectors: Output XLR & jack, MIDI, USB, 5x pedals
- Optional stand LG800 available



FOR EVERY STAGE SIMPLY THE BEST

CP4 STAGE PIANO





















CFX

CFIIIS

S6

CP80

DX7

RD

WR

- PREMIUM PIANO & VINTAGE E-PIANO SOUNDS FEATURING THE YAMAHA GRAND PIANOS
- WOODEN GRADED HAMMER KEYBOARD WITH SYNTHETIC IVORY KEYTOPS (NW-GH)
- EXTRAORDINARY EASE OF USE CREATE LAYERS, SPLITS AND ADJUST VOLUMES IN SECONDS
- SLIM AND LIGHTWEIGHT DESIGN (17.5 KG) MAKES IT EASY TO TRANSPORT
- 128 note polyphony, 128 User Performances
- 433 Voices, AWM Voices add essential sounds for band context
- Audio recording/playback functionality with USB flash memory device
- Three Parts for layer and split sounds
- Masterkeyboard mode with up to four keyboard zones to control external MIDI instruments
- Aux In audio input for the connection of a portable music player
- FC3 half damper pedal included, connectors for three additional pedals
- Connectors: Output (XLR & jack), Phones, AUX IN jack, 4x pedals, MIDI In/Out, USB TO HOST and TO DEVICE



musikmesse international press award





Vintage Electric Piano Sounds









CP40 STAGE PIANO





Premium Grand Piano Sounds



Vintage Electric Piano Sounds



Portable



Super Easy Use













- EXTRAORDINARY EASE OF USE CREATE LAYERS, SPLITS AND ADJUST VOLUMES IN SECONDS
- SLIM AND LIGHTWEIGHT DESIGN (16.3 KG) MAKES IT EASY TO TRANSPORT
- 88-key Graded Hammer (GH) keyboard
- 128 note polyphony, 128 User Performances
- 297 Voices, AWM Voices add essential sounds for band context
- Audio recording/playback functionality with USB flash memory device
- Two Parts for layer and split sounds
- Masterkeyboard mode with up to four keyboard zones to control external MIDI instruments
- Aux In audio input for the connection of a portable music player
- FC3 half damper pedal included, connectors for two additional pedals
- Connectors: Output (jack), Phones, AUX IN jack, 3x pedals, MIDI In/Out, USB TO HOST and TO DEVICE



- 88 weighted keys (Graded Hammer)
- AWM2 tone generator, 128 voices of polyphony
- Integrated stereo speaker system with 2 x 30 W
- 3-layers dynamic piano sample, sustain- & key-off samples, 50 Keybanks!
- Half-pedal effect (with optional FC3 pedal)
- 50 Voices plus 480 XG Voices for MIDI-file playback



CP300

- STAGE PIANO WITH POWERFUL INTEGRATED SPEAKER SYSTEM
- VERY EXTENSIVE PIANO SAMPLES FOR THE MOST NATURAL SOUND POSSIBLE
- MASTERKEYBOARD FUNCTIONALITIES
- OUTPUTS IN XLR FORMAT
- 5-Band Master-EQ with direct access via sliders on the panel
- Additional audio outputs in XLR format, connectors for up to 4 pedals
- Integrated 16-track sequencer with Flash-ROM
- Free optional music rest available
- Optional stand LP3 available

40 YEARS OF INSPIRATION





YAMAHA CELEBRATES 40 YEARS IN SYNTHESIZER-DESIGN WITH BRANDNEW MOTIF XF IN A STUNNING WHITE FINISH

Since 1974, Yamaha has continually served up expressive, high performance and technically powerful Synthesizers for creative musicians the world over. The legendary DX7, SY1 and VL1, to name but three, have influenced a whole variety of musical styles, and indeed generations of music makers. To com-

memorate this land mark occasion, Yamaha have made available a very stylish limited edition white **MOTIF XF**, complete with a 40th Anniversary Premium Box. The MOTIF range has been with us for over a decade, and is the number-one selling Synthesizer Workstation in the world today.



40 YEARS YAMAHA SYNTHESIZERS

Yamaha's numerous synthesizer milestones had a decisive influence on the colours of the music's world. These monumental instruments include, for example: The incredibly expressive analog synthesizer-colossus **CS-80**. The **DX7** as the first FM synthesizer for the mass market. The **VL1** as the spearhead of virtual-acoustic synthesis. The entire **MOTIF** family as comprehensive music production synthesizers, raising the sample-based synthesis to ever more detailed levels. Yamaha synthesizers and workstations were and still are the first choice for professionals and amateurs in the multi-faceted music business.

YAMAHA CS-80

POLYPHONIC ANALOG SYNTHESIZER

Keyboard: 61 keysPolyphony: 8

• Dimensions (WxDxH): 1,206x681x295 mm

• Weight: 82 kg



YAMAHA VLI

VIRTUAL ACOUSTIC SYNTHESIZER

• Keyboard: 49 keys

Polyphony: 2

• Dimensions (WxDxH): 914x380x105 mm

• Weight: 12.5 kg



1977 1983

1993

2001





YAMAHA DX7

FM SYNTHESIZER

Keyboard: 61 keysPolyphony: 16

• Dimensions (WxDxH): 1,018x329x102 mm

Weight: 14.2 kg



YAMAHA MOTIF6

MUSIC PRODUCTION SYNTHESIZER

Keyboard: 61 keysPolyphony: 62

• Dimensions (WxDxH): 1,048x397x135 mm

• Weight: 15.8 kg





MOTIF XF7 WH



MOTIF XF6 WH



MOTIF XF -MUSIC PRODUCTION SYNTHESIZER

- 741 MB OF INTERNAL WAVE ROM
- UP TO 2 GB OF OPTIONAL FLASH WAVE MEMORY
- 128 MB OF ONBOARD VOLATILE SAMPLE RAM
- IMPROVED USER INTERFACE
- FSX (MOTIF XF6/7 with 61/76 keys) and BH (MOTIF XF8 with 88 weighted keys) keyboard action
- Sophisticated 8-Element synth architecture with XSpanded Articulation and 18 different filter types
- 1,664 Voices and 97 Drum Kits
- 512 Performances combine 4 Voices and 4 Intelligent Arpeggiators
- 3-band EQ for each Part, 8 Dual Insertion effects, 2 System effects, one global Master effect and one Master-EQ
- Direct-to-USB recording lets you record your final mixes to any connected USB memory device as CD-quality WAV-files
- Playback WAV-files on the XF from an USB memory device
- Free downloadable Editor Software available (stand-alone or as VST3-PlugIn)
- Optional stand LG800 available for MOTIF XF8
- Optional transport soft cases SCCMOTIFXF available for each model

MOTIF XF8



MOTIF XF7



MOTIF XF6



RRODUC



MOTIF PREMIUM CONTENTS PACK

NEW CLASSIC AND VINTAGE SOUNDS

The **MOTIF XF** comes with a special Anniversary Box, which significantly expands the instrument both in terms of hardware and software and thus appealingly grades up the basic configuration of the **MOTIF XF**.

THE ANNIVERSARY BOX CONTAINS THE FOLLOWING:

- Flash Memory Expansion Board
- USB Flash Memory Stick (4GB) incl. soundsets
- 40 % Discount coupons for various products
- 40th Logo Sticker
- Card from the developer



THE FOLLOWING SOUNDSETS ARE INCLUDED ON THE USB STICK:

- Yamaha Vintage Synthesizer Collection (Sonic Reality)
- Yamaha Ultimate Piano Collection (re-programmed with the HD Reverb of OS V1.5)
- Yamaha CS-80 Library
- Chick's MARK V









APPLICATIONS FOR APPLE IPAD/IPHONE AVAILABLE













FL512M/FL1024M

- Adds up to 2 GB of optional Flash Wave memory to the MOTIF XF (two slots)
- The FL512M offers 512 MB of Flash Memory
- The FL1024M offers 1024 MB of Flash Memory



FW16E

- Adds two S400 FireWire ports (IEEE1394) to the MOTIF XF for digital audio and MIDI connection with DAWs
- Compatible to Yamaha n8/n12 and Steinberg FireWire Interfaces MR816csx and MR816x
- Drivers available for: Windows 8.1/7/Vista (SP1)/XP (SP3) 32 Bit, Windows 8.1/7/Vista (SP1) 64 Bit, Mac OS X 10.4.x-10.6.x Audio Inputs/Outputs: 6 Ins, 16 Outs
- Sampling Rate: 44,1 kHz, 48 kHz, 88,2 kHz, 96 kHz

A UNIVERSE OF SOUNDS FROM A DECADE OF MOTIFS













- AWM2 TONE GENERATOR WITH THE SAME 741 MB WAVEFORM DATA FROM THE MOTIF XF
- XA (EXPANDED ARTICULATION), VCM EFFECTS, 128 NOTE POLYPHONY
- UP TO 1 GB OPTIONAL FLASH MEMORY EXPANSION MODULE FOR SAMPLES
- BUILT-IN USB AUDIO/MIDI-INTERFACE AND REMOTE CONTROL FUNCTION **FOR DAWS**
- LIGHTWEIGHT AND PORTABLE
- MOXF8: 88 weighted keys (Graded Hammer Standard keyboard) / MOXF6: 61 semi-weighted keys
- 16 Parts multitimbral capacity
- 1,280 Preset and 384 User Voices, 73 Preset and 32 User Drum Kits, 256 User Performances, 128 Master settings
- 7,981 Preset and 256 User Arpeggio Types
- Comprehensive Sequencer for creating Songs and Patterns (up to approx. 226,000 notes)
- Powerful Performance Creator function for fast and easy Split/Layer creation
- · Audio input, including Vocoder effect
- Free VST3 editor software, seamless music production with integration with Steinberg Cubase







Free soundsets available at yamaha.com





THE PERFECT PERFORMANCE

The **\$90X\$** and **\$70X\$** are the perfect blend between a stage piano and a workstation synthesizer. Equipped with a Balanced Hammer weighted keyboard, it is an instrument you can rely on to get your musical message across.















MUSIC SYNTHESIZER

- PERFECT BLEND BETWEEN SYNTHESIZER AND STAGE PIANO
- 88 KEY MODEL FOR FULL SCALE PIANO PERFORMANCE AND 76 KEY MODEL FOR GREAT PORTABILITY
- PERFORMANCE CREATOR FOR INSTANT SPLITS, LAYERS, AND DRUM PERFORMANCES
- BASED ON THE WAVE-ROM OF THE MOTIF XS-SERIES PLUS EXTRA 142 MB 3-LAYER S6 PIANO SAMPLE
- 88/76 weighted keys (Balanced Hammer)
- Master Keyboard functions: 4 assignable faders, 4 keyboard zones
- AWM2 technology with Expanded Articulation, 456 MB Wave-ROM (MOTIF XS plus extra piano)
- 128-note polyphony, 16 Parts multitimbral capacity
- 1,152 Preset and 512 User Voices, 512 User 4-Part Performances, 65 Preset and 32 User Drum Kits
- 6,779 Arpeggio preset types, 256 user types
- Half-damper function (works with optional footpedal FC3)
- FX: Chorus-, Reverb-, 8x Insertion effect, Vocoder, 5-Band-Master-EQ, and Master effect
- Mic Input (combo jack)
- Direct MIDI/Audio-file playback from USB devices
- Free VST3 editor software available

The MX SERIES synthesizers feature carefully selected sounds taken from the Yamaha MOTIF XS. That powerful sonic palette is packed into sleek packages (available in 49-and 61-note versions) that fit today's on-the-go life style. But the MX SERIES aren't just synthesizers; they are designed to bridge the gap between hardware and software. By adding extensive audio and MIDI USB connectivity, advanced DAW and VST controller features and a suite of powerful music production software, the MX integrate hardware reliability with controller flexibility to give you the best of both worlds at a ground breaking level of affordability.


























40TH ANNIVERSARY MX PROMOTION PLAN

On the occasion of the 40 years of Yamaha's synthesizer history there is a Promotion Box for the MX, too. It contains a USB stick with the two soundsets "Dance Pro" and "Bread & Butter Performances".



- Over 1,000 Voices using Waveforms from the MOTIF XS
- 128 note polyphony, 16 part multitimbral
- Integrated USB-Audio-Interface
- Bundled with Steinberg Cubase AI DAW software




MX SOFTBAGS available in red or black colour for both MX49 and MX61



MX EDITOR SOFTWARE by specialist John Melas – incl. full Voice editing function. Download the software from www.jmelas.gr



MX STYLE SHEETS – Create your own MX design online or choose from our amazing style covers on: www.mx-skin.com



A MUSICAL INTERFACE FOR THE TWENTY-FIRST CENTURY

The **TENORI-ON**'s matrix of 16 x 16 LED buttons allows the performer to compose and perform music intuitively and visually. It brings a new musical dimension to live performance, studio work, and to artists' ability to sketch musical ideas.







TENORI-ON


- DESIGNED IN COLLABORATION WITH MEDIA ARTIST TOSHIO IWAI
- STAND-ALONE WORKSTATION DESIGN COMBINES TONE GENERATOR, SEQUENCER AND SAMPLER
- UNIQUE SEQUENCER MODES FOR NEW, INTUITIVE, POLYRHYTHMICAL PATTERNS
- 16 x 16 LED matrix as user interface
- AWM2 tone generator
- 239 Preset Voices and 14 Drum Kits, 3 User Sample Voices
- 32 voices of polyphony, 16 parts multitimbral capacity
- Integrated stereo speakers
- MIDI connectors via special included cable
- SD memory card slot
- User Voice Manager software and power adapter included



MOTIF'S SOUND CONCENTRATED

The outstanding sound of the MOTIF XS in a handy rack-mountable format – that's the **MOTIF-RACK XS**. Thanks to its sophisticated DAW integration it can be used like a VST instrument embodied in real hardware.









MOTIF-RACK XS

- THE FULL SOUND OF THE MOTIF XS IN 1U RACK-MOUNTABLE FORMAT
- VINTAGE VCM EFFECTS (VIRTUAL CIRCUITRY MODELING)
- 5 ROTARY KNOBS FOR REALTIME CONTROL
- PERFECT INTEGRATION IN DAWS WITH VST3 EDITOR PLUG-IN
- 128-note polyphony, 16-part multimode, 355 MB Wave-ROM of the MOTIF XS
- 8 Elements per Voice, XA-mode
- 4-part Arpeggiator with 6,633 Phrases
- 1,024 Preset Voices, 64 Drum Kits, 128 GM-Voices + 1 GM-Drum Kit, 384 User Voices + 32 User Drum Kits, 128 User Multis
- 4 analogue outs, digital S/P-DIF out, Firewire optional



LESS TO CARRY AND EASY TO SET UP

The **AUDIOGRAM-**Series from Yamaha is a complete package for simple computer-based recording and music production. By using the host system's audio drivers these audio interfaces are true plug and play.

AUDIOGRAM6



USB AUDIO INTERFACE

ULTRA COMPACT COMBINATION OF AUDIO INTERFACE & MINI MIXING DESK

- SMALLEST YAMAHA COMPUTER RECORDING SYSTEM
- 6(3) channel mixing desk
- 2(1) combo inputs (XLR/phone jack), 2(1) HiZ inputs
- Audiogram6 features 2 built-in "One-Knob" compressors
- Phantom power
- Recording and playback via USB with 44.1 kHz/16 bit
- 6,3 mm headphones connector
- USB powered, no power adaptor needed





■ FC3: Forte pedal, can be used as half pedal for: CP1, CP4, CP5, CP40, CP50, CP33, CP300, S90 ES, S90 XS, S70 XS, MOX, MOXF, MOTIF XS, MOTIF XF



■ FC4: Sustain pedal, Authentic piano look



■ FC5: Universal foot pedal





■ FC7: Expression pedal for keyboards with foot controller connection




■ MFC10: MIDI foot controller, programmable, 12 foot switches, 1 foot pedal, prg. change, note on/off, control change, song select etc.



■ **HPE-170:** Headphones for all keyboard instruments



■ **HPE-150:** Headphones for all keyboard instruments



■ i-MX1: The i-MX1 is a MIDI interface for Apple iPad/iPhone*, which enables you to connect it to your MIDI instruments and gear



■ i-UX1: The i-UX1 MIDI interface lets you connect your instruments with USB-To-Host port to iOS devices to expand your mobile music world



■ UX16: USB-MIDI interface for Mac and PC. 1x USB to MIDI In and MIDI Out (16 MIDI channels each)



■ PA130A: 12V/750mA for CP33, QY100, GO44, Tenori-On ■ PA150A: 12V/1500mA

for MM6, MO6/MO8, MOX, CP50, P85, P140, GO46



■ SCCMOTIFXF6: Soft case with rolls for MOTIF XS/XF6

■ **SCCMOTIFXF7:** Soft case with rolls for MOTIF XS/XF7

■ **SCCMOTIFXF8:** Soft case with rolls for MOTIF XS/XF8

SCP120: Soft case for CP33/CP50SCMOXF6: Soft case for MOXF6SCMOXF8: Soft case for MOXF8



■ **LG-800:** Stand for CP1, CP4, CP5, CP40, CP50, MOTIF XF8



Information and demos: http://www.easysounds.de

SOUNDS FOR YAMAHA SYNTHESIZERS

Easy Sounds is producing an extensive sound library for Yamaha's synthesizers in cooperation with Yamaha Music Europe. Here's a selection of the available titles:

- Stage & Studios
- Magical Pads
- Dance Xpanded
- Synth Xtreme
- Mystic Spheres

- Organ Session
- Chill Xperience
- Phat Analogue
- Xtasyn

MUSIC PRODUCTION GUIDE

The free Music Production Guide contains news, tips & tricks, software offers, and interviews on and around Yamaha synthesizers of the MOTIF-Series, S-Series, MOXF-Series, DTX-Series and articles about recording, software, and Computer Music instruments. The most recent edition can be downloaded here: http://www.easysounds.eu/MOTIFNewsGuide_EN.pdf



SOUNDS & GOODIES FOR YAMAHA SYNTHESIZERS

Owners of Yamaha synthesizers are entitled to download free sound and info packages that were produced by Yamaha Music Europe in cooperation with Easy Sounds. More information can be found in the Music Production Guide which most recent edition can be downloaded here: http://www.easysounds.eu/MOTIFNewsGuide_EN.pdf



THE ONE TO BEAT

EUROPE.YAMAHA.COM



THE ONE TO BEAT

The **DTX950MK**. THE pinnacle of electronic drumming technology. This system is built around the DTX900M Drum Trigger Module and is fully equipped with DTX-PAD drum pads which are the next-generation electronic drum pads. It also boasts the HEX-RACK, a genuine rack made by a dedicated drum hardware manufacturer.



- DTX900M DRUM TRIGGER MODULE INCLUDING 512 MB SAMPLE-RAM
- DTX-PAD SET
- HEX-RACK RACK SYSTEM

DTX950MK

• DTX900M Drum Trigger Module, 1,326 Voices

 64 note polyphony, 50 Preset Drum Kits,
 50 User Drum Kits, up to 1,584 External User Kits (on USB stick)

 USB to DEVICE/to HOST, S/P-DIF output, 6 Individual Outputs, 15 Trigger Inputs, Aux In/Sampling In

- Integrated Sequencer
- Hi-hat pad on real hi-hat stand





foot pedal not included

THE DTX950MK CONSISTS OF:

- DTX900M Drum Trigger Module
- HXR4LD rack

DTP900 PAD SET

- PCY135 (3 zone cymbal pad) x 2
- PCY155 (3 zone cymbal pad) x 1
- RHH135 (2 zone hi-hat pad) x 1
- KP125W (kick pad)
- CH750 (cymbal holder) x 2
- SS662 (snare stand)

DTP902 PAD SET

- XP120SD x 1
- XP120T x 2
- XP100T x 2
- CH755 (cymbal holder) x 1
- HS740A (hi-hat stand) x 1



FEEL THE DIFFERENCE

The **DTX900MK** is built around the DTX900M Drum Trigger Module and fully equipped with DTX-PAD drum pads. It is versatile and professional in every sense and feature. Although large in sounds and features, it is compact in size thanks to the RS 130, an electronic drum rack born from Yamaha's extensive drum manufacturing division.

■ DTX900M DRUM TRIGGER MODULE INCLUDING 512 MB SAMPLE-RAM

■ DTX-PAD SET





- DTX900M Drum Trigger Module, 1,326 Voices
- 64 note polyphony, 50 Preset Drum Kits, 50 User Drum Kits, up to 1,584 External User Kits (on USB stick)
- USB to DEVICE/to HOST, S/P-DIF output, 6 Individual Outputs, 15 Trigger Inputs, Aux In/Sampling In
- Integrated Sequencer
- Hi-hat pad on real hi-hat stand
- RS130 rack system



foot pedal not included

THE DTX900MK CONSISTS OF:

- DTX900M Drum Trigger Module
- RS130 rack

DTP900 PAD SET

- PCY135 (3 zone cymbal pad) x 2
- PCY155 (3 zone cymbal pad) x 1
- RHH135 (2 zone hi-hat pad) x 1
- KP125W (kick pad)
- CH750 (cymbal holder) x 2
- SS662 (snare stand)

DTP901 PAD SET

- XP120SD x 1
- XP100T x 3
- CH755 (cymbal holder) x 1
- HS740A (hi-hat stand) x 1

CLEVERLY SMART. GRACEFULLY POWERFUL.

The **DTX750K** Electronic Drum Kit offers state-of-the-art drum sounds for everyone. The DTX700 module is the powerhouse of the line. It is equipped with the newest model of the professional DTX-Pad: the 8.5 inch 3 zone pad XP80 and the 10 inch snare pad XP100SD.

DTX 750K

DTX750K

■ DTX700 TONE GENERATOR FEATURING 64 MB FLASH-ROM

DTX-PAD SET

- DTX700 Drum Trigger Module with 100 MB Wave-ROM, 64 MB Flash-ROM for your own samples, and 1,396 Voices
- 64 note polyphony, 60 User Drum Kits
- USB to DEVICE/to HOST, 12 Trigger Inputs, Aux In/Sampling In
- Integrated sequencer
- Hi-hat pad on real hi-hat stand
- RS700 rack system







THE DTX750K CONSISTS OF:

- DTX700 Drum Trigger Module
- RS700 rack

DTP750P PAD SET

- XP100SD x 1
- XP80 x 3
- KP65 (kick pad)
- SS662 (snare stand)

DTP750C PAD SET

- PCY135 (3 zone cymbal pad) x 2
- PCY155 (3 zone cymbal pad) x 1
- RHH135 (2 zone hi-hat pad) x 1
- CH755 (cymbal holder) x 1
- CH750 (cymbal holder) x 2
- HS650A (hi-hat stand) x 1



COMPACT AND COMPLETE

The **DTX700K** Electronic Drum Kit offers the same sound as the DTX750K with the DTX700 module as its heart & brain. However, it uses the XP70 as toms (7.5 inch) and a XP80 as a snare and thus making it even more compact while maintaining the same great professional feel & sound.



■ DTX700 TONE GENERATOR FEATURING 64 MB FLASH-ROM

■ DTX-PAD SET

- DTX700 Drum Trigger Module with 100 MB Wave-ROM, 64 MB Flash-ROM for your own samples, and 1,396 Voices
- 64 note polyphony, 60 User Drum Kits
- USB to DEVICE/to HOST, 12 Trigger Inputs, Aux In/Sampling In
- Integrated sequencer
- Hi-hat pad on real hi-hat stand
- RS500 rack system







foot pedal not included

THE DTX700K CONSISTS OF:

- DTX700 Drum Trigger Module
- RS500 rack

DTP700P PAD SET

- XP80 x 1
- XP70 x 3
- KP65 (kick pad)

DTP700C PAD SET

- PCY135 (3 zone cymbal pad) x 2
- RHH135 (2 zone hi-hat pad) x 1
- HS650A (hi-hat stand) x 1

THE PERFECT STUDIO PAD SET FOR SMALL MONEY

The new **DTX562K/DTX542K** Electronic Drum Kits are the perfect choice for the aspiring drummer. The DTX500 module is responsible for the pro-quality sound, while the XP70 toms (7.5 inch) and a XP80 as a snare (8.5 inch) belong to the family of the best & most realistic drum pads ever made. Outstanding value in a professional configuration that is perfect for the studio.







foot pedal not included

- DTX502 TONE GENERATOR FEATURING 691 DRUM AND 128 KEYBOARD VOICES
- BUILT-IN SAMPLE MEMORY FOR UP TO 20 OF YOUR OWN SOUNDS
- INTEGRATED SEQUENCER
- DTX-PAD SNARE AND DTX-PAD TOMS
- Professional sounds with exceptional playing feel
- 3-zone Snare Pad feels like a real snare drum
- Complete silicone Tom Pad set up
- Realistic set-up incl. real hihat stand
- Remarkably low Pad noise
- Perfect for home use on headphones
- 8 training functions
- USB To Host

THE DRUM-KITS CONSIST OF:

DTX562K

DMR502

- DTX502 Drum Trigger Module
- RS502 Rack

DTP562

- XP80 x 1
- XP70 x 3
- KP65 (kick pad)
- PCY135 (3-zone cymbal pad) x 2
- RHH135 (2-zone hi-hat pad) x 1
- HS650A (hi-hat stand) x 1

DTX542K

DMR502

- DTX502 Drum Trigger Module
- RS502 Rack

DTP700P PAD SET

- XP80 x 1
- XP70 x 3
- KP65 (kick pad)

DTP520C PAD SET

- PCY135 (3-zone cymbal pad) x 1
- PCY100 (3-zone cymbal pad) x 2
- HH65 (hi-hat controller) x 1



foot pedal not included



REAL HI-HAT ACTION IN COMPACT SIZE

The **DTX532K** allows true drum playing techniques to be developed. The DTX-SILICONE PAD for the snare and the hi-hat pad – mounted on a normal hi-hat stand – deliver an absolut authentic playability while the DTX502 Drum Trigger Module renders an outstanding sound. Also the new **DTX522K** Electronic Drum Kit leverages our existing TP-pad technology in order to bring down the size, weight & cost. The **DTX532K** features two 3-Zone Cymbal Pads and a hi-hat on a real hi-hat stand.



DTX532K

- DTX502 TONE GENERATOR FEATURING 691 DRUM AND 128 KEYBOARD VOICES
- BUILT-IN SAMPLE MEMORY FOR UP TO 20 OF YOUR OWN SOUNDS
- INTEGRATED SEQUENCER
- **DTX-PAD SNARE**
- Professional sounds with exceptional playing feel
- 3-zone Snare Pad feels like a real snare drum
- Realistic set-up incl. real hihat stand
- Remarkably low Pad noise
- Perfect for home use on headphones
- 8 training functions
- USB To Host



foot pedal not included



DTX522K





DMR502

- DTX502 Drum Trigger Module
- RS502 Rack

DTP532

- XP80 x 1
- TP70 x 3
- KP65 (kick pad)
- PCY135 (3-zone cymbal pad) x 2
- RHH135 (2-zone hi-hat pad) x 1
- HS650A (hi-hat stand) x 1

DTX522K

DMR502

- DTX502 Drum Trigger Module
- RS502 Rack

DTP522


- XP80 x 1
- TP70 x 3
- KP65 (kick pad)
- PCY135 (3-zone cymbal pad) x 1
- PCY100 (3-zone cymbal pad) x 2
- HH65 (hi-hat controller) x 1



foot pedal not included

WELCOME TO THE TRIBE!

Welcome the beginners to drummers' special world with reasonable price and true instruments. With a 3-zone snare pad the new **DTX450K** features top marks in expression, impression, and punch. All this in a minimal size ratio makes the **DTX450K** our best drum concentrate.



- DTX400 TONE GENERATOR FEATURING 169 DRUM VOICES AND 128 KEYBOARD-VOICES FROM ITS PRO-LEVEL SIBLINGS DTX900M/700
- NEW 7.5" 3-ZONE SNARE PAD
- KICK PAD AND FOOT PEDAL INCLUDED
- 32 note polyphony, 10 Drum Kits (overwritable presets)
- USB-to-Host, 9 Trigger Inputs, Aux in
- 10 songs, training functions
- 9 reverb types
- HH65 Hi-hat controller

THE DTX450K CONSISTS OF:

- DTX400 Drum Trigger Module
- Rack system
- TP70S (3-zone snare pad) x 1
- 7" tom pads (1-zone Pad) x 3
- KP65 (kick pad)
- FP6110A bassdrum foot pedal
- PCY90 (1-Zone cymbal pad) x 3
- HH65 (Hi-hat controller) x 1





Apps for iPad/iPhone available to support your drum training





FITS IN EVERY ROOM

Thanks to its ultra-compact design the **DTX430K** finds a place in any room. Put your headphones on and rock like the pros in your bedroom or programming space. USB hook-up makes it also easy. Affordable price with Yamaha quality.



- DTX400 TONE GENERATOR FEATURING 169 DRUM VOICES
 AND 128 KEYBOARD-VOICES FROM ITS PRO-LEVEL SIBLINGS DTX900M/700
- KICK PAD AND FOOT PEDAL INCLUDED
- 32 note polyphony, 10 Drum Kits (overwritable presets)
- USB-to-Host, 9 Trigger Inputs, Aux in
- 10 songs, training functions
- 9 reverb types
- HH65 Hi-hat controller
- Apps for Apple iPad/iPhone available to support your drum training



THE DTX430K CONSISTS OF:

- DTX400 Drum Trigger Module
- Rack system
- 7" snare pad (1-zone pad) x 1
- 7" tom pads (1-zone Pad) x 3
- KP65 (kick pad)
- FP6110A bassdrum foot pedal
- PCY90 (1-Zone cymbal pad) x 3
- HH65 (Hi-hat controller) x 1



DRUMS FOR EVERYONE! WELCOME TO THE TRIBE!

Even though the **DTX400K** is the smallest kit in the DTX400 line-up it has a very special feature: Thanks to the new kick unit KU100 the playing of the bass drum is so silent that the neighbours don't have anything to complain about. Yamaha provides pleasure of playing drums to everyone.



DTX400K

- DTX400 TONE GENERATOR FEATURING 169 DRUM VOICES AND 128 KEYBOARD-VOICES FROM ITS PRO-LEVEL SIBLINGS DTX900M/700
- SILENT KICK PEDAL
- 32 note polyphony, 10 Drum Kits (overwritable presets)
- USB-to-Host, 9 Trigger Inputs, Aux in
- 10 songs, training functions
- 9 reverb types
- Apps for Apple iPad/iPhone available to support your drum training



400K

Apps for iPad/iPhone available to support your drum training

THE DTX400K CONSISTS OF:

- DTX400 Drum Trigger Module
- Rack system
- 7" snare pad (1-zone pad) x 1
- 7" tom pads (1-zone Pad) x 3
- KU100 Kick Unit x 1
- PCY90 (1-zone cymbal pad) x 3
- Hi-hat controller x 1







No foot pedal required, kick unit included



MULTI-LEVEL, MULTI-PLAY, AND MULTI-PURPOSE!

The **DTX-MULTI 12** is the most powerful, portable, all-in-one percussion pad and suits anyone from a beginner to an expert. Use it as a miniature drum kit for gigs, or alongside your acoustic kit to extend it with percussion and sound effects. You can even add your own samples using the 64 MB of Flash-ROM – the samples remain in the instrument even if it is powered off. Convenience and Portable Power!

■ 12 DYNAMIC PADS ■ 64 MB FLASH-ROM

- 5 additional Trigger Inputs
- 1,277 Drum- & Percussion Voices
- 64 voices of polyphony
- 50 Preset and 200 User Drum Kits
- Integrated Sequencer
- USB to Host/USB to Device
- Stick-, Hand-, and Finger-Mode
- AUX In for external audio signals (CD/mp3-player)
- Yamaha Hardware Integration: MAT1 and PS940 hardware stand









PERSONAL STYLE? HOW ABOUT A PERSONAL KIT?

Perhaps you prefer to have your drums mounted on traditional stands instead of a rack system – we can help you get to wherever you may be headed. We have arranged nine different sets of DTX kits and pads onto our renowned professional System Hardware, from a very basic set to accompany your acoustic drum kit to a full-blown mammoth kit. Build, mix, match ... Have it all!



DTX ON SYSTEM HARDWARE

9 DIFFERENT SETUP IDEAS:

• Traditional

Essential

• Powerful

• Essential Multi

• Studio

• Essential Multi Extension

Heavy

• Multi 12 Travel

AND THOUSANDS OF YOUR OWN INDIVIDUAL IDEAS!

• Technical







STUDIO





■ HEAVY



ESSENTIAL



ESSENTIAL MULTI



ESSENTIAL MULTI EXTENSION MULTI 12 TRAVEL



ENJOY THE SOUND

Our DTX monitor systems are designed to perfectly fit with the DTX Electronic Drum range. The satellite speakers fit directly onto the rack systems. The addition of a subwoofer provides the widest possible depth of sound. These Monitor systems are perfect for home rehearsal or as stage monitor systems that will project the full power of your performances. There are three systems with a variety of power levels available: MS40DR, MS50DR, and MS100DR.



■ SATELLITE SPEAKERS FIT ONTO RACK SYSTEM

- NATURAL STEREO WITH RICH LOW FREQUENCY SOUND WITH SATELLITE SPEAKERS AND SUBWOOFER
- COMPACT SIZE AND EASY TO OPERATE

MS40DR

- 2 x 20 W 2-way satellites plus 40 W subwoofer
- Satellite speakers: Tweeter: 3/4" dome Midrange: 3" cone
- Subwoofer: 6,5" cone

MS100DR

- 2 x 40 W 3-way satellites plus 100 W subwoofer
- Satellite speakers: Tweeter 1" dome Midrange 2" cone Woofer: 4" cone
- Subwoofer: 10" cone

MS50DR

- 2 x 20 W 3-way satellites plus 50 W subwoofer
- Satellite speakers: Tweeter: 1" dome Midrange: 2" cone Woofer: 4" cone
- Subwoofer: 8" cone













MS50DR drum monitor system

MS100DR drum monitor system



SPAT1
SPEAKER ATTACHMENT

ACCESSORIES

The **MAT1** is the holder for the DTXMULTI 12. Attach it to the Multipad to mount it on a stand or Yamaha hardware.



DOUBLE FOOT PEDAL

The DFP9500C is Yamaha's top of the range double bass drum pedal featuring a double chain drive for acoustic Drums and DTX Drums.

This pedal is smooth, quick and responsive.



The **P\$940** is perfect for stand mounting your DTX-MULTI 12 Percussion Pad alongside hand percussion or up next to your kit.

TRIGGER DT10/DT20

Electronic drum triggers, compact, shock-resistant design to mount directly onto a drum shell or drum head attachment.



SINGLE FOOT PEDAL

The **FP9500C** is Yamaha's top of the range bass drum pedal featuring a double chain drive for acoustic Drums and DTX Drums. This pedal is smooth, quick and responsive.

DOUBLE FOOT PEDAL

DFP9500CL: Left-foot model of the DFP9500C.



TOM HOLDER

- RCL500
- CL940B
- TPCL500



CYMBAL ARM

- CYAT500 (Arm+Clamb)
- RCL500 (Clamb only)
- CH755 (Arm only)

100

MODULES

- DTX900M
- DTX700



HIHATS

- HS740A
- HS650A



CYMBALS

- PCY155
- PCY135
- PCY100
- PCY90AT
- RHH135



KICKS

- KP65
- KU100



SNARES

- XP120SD
- XP100SD
- XP80
- TP70S



TOMS

- XP120T
- XP100T
- XP70
- TP70



RACK SYSTEMS


- HXR4LD
- RS700
- RS502
- RS130












*YAMAHA ORUNIS

ABSOLUTELY HANDCRAFTED

EUROPE.YAMAHA.COM



THE ULTIMATE IN DESIGN

Yamaha's flagship PHX-Phoenix drum kit has been developed and handcrafted after years of extensive research at Yamaha's new drum laboratory. Working with world leading Artists, Sound Engineers and Drum Technicians, the aim was to build the best possible sounding drum kit. Using Yamaha's 40 years of craftsmanship know-how, we completely re-designed and improved all the elements of the drum, in order to create the ultimate in quality and in appearance.



Shell: Hybrid shell (Kapur, Jatoba, Maple, Ash)
Bearing edge: 30 degree with different radiuses

• BD head front: White PS3 with Yamaha logo, Batter: PS3 Clear

(only 18" BD, Coated Ambassador)

• FT/TT head top: Head: Top Clear Ambassador, Bottom: Clear Ambassador

• SD head top: Coated Ambassador, Bottom: Snare Ambassador


• Lug: Hook Lug


Hoop: Aluminum Die-Cast hoops


Mount: Y.E.S.S. II (Yamaha Enhanced Sustain System)

THE SHELL

MAPLE VERSION (11-PLY)







HARD (SOFTER THAN EXTRAHARD) MATERIALS EXTRA HARD MATERIALS HARD MATERIALS

FINISHES

AVAILABILITY ON REQUEST



Turqouise Fade (TQF)



Textured Black Sunburst (TBS) Textured Amber Sunburst



(TAS)



Sapphire Fade (SPF)



Garnet Fade (GNF)



Matte Black (MBL)



Black Cherry SB (BCS)



Polar White (PW)



Matte Natural (MN)

	BD						
DIAMETER	24"	24"	22"	22"	20"	20"	18"
X DEPTH	x18"	x16"	x18"	x16"	x18"	x16"	×14"
MODEL	PHXB2418	PHXB2416	PHXB2218	PHXB2216	PHXB2018	PHXB2016	PHXB1814


	BD (R-Version without Pipe clamp)								
DIAMETER	24"	24"	22"	22"	20"	20"			
X DEPTH	x18"	x16"	x18"	x16"	x18"	x16"			
MODEL	PHXB2418R	PHXB2416R	PHXB2218R	PHXB2216R	PHXB2018R	PHXB2016R			

	FT			TT			
DIAMETER	18"	16"	14"	16"		14"	
X DEPTH	x16"	x15"	x13"	x13"	x14"	x11"	x12"
MODEL	PHXF1816	PHXF1615	PHXF1413	PHXT1613	PHXT1614	PHXT1411	PHXT1412

	тт							
DIAMETER	13"	13"	12"	12"	10"	10"	8"	8"
X DEPTH	x9"	x10"	x8"	x9"	×7"	x8"	x7"	×8"
MODEL	PHXT1309	PHXT1310	PHXT1208	PHXT1209	PHXT1007	PHXT1008	PHXT0807	PHXT0808

Choice of Gold or Chrome Hardware







• Shell: Maple-Wenge-Maple Hybrid Shell (BD: 8.0mm, FT/TT/SD: 6.2mm)

• Bearing edge: BD: 30 degree R1.5, FT/TT/SD: 45 degree R1.5

• BD head: Front: Remo Smooth White P3

Batter: 20"-24": Remo Clear P3 / 18" Coated

Ambassador

• FT/TT head: Top: Remo Clear Emperor

Bottom: Clear Ambassador


• SD head: Top: Remo Coated Ambassador

Bottom: Clear Ambassador

Hook lug • Lugs:

BD: Wood Hoop • Hoop:

FT TT SD: 3 mm Aluminium Die-Cast Hoop Mount: Y.E.S.S. III (Yamaha Enhanced Sustain System)











Pink Champagne

Sparkle

FINISHES



Classic Walnut

Gold Champagne Sparkle



Polar White

Silver Sparkle

Jade Green

Sparkle



Orange Sparkle

Solid Black







Vintage Natural

Red Autumn

SPECIAL FEATURES







Q-Type Strainer



New Y.E.S.S III Tom Mount



Open Type FT Bracket



Hook Lug

	BD							FT			SD
DIAMETER X DEPTH	24x16	24x14	22x18	22x16	22x14	20x16	18x14	18x16	16x15	14x13	14x6
MODEL	AMB2416	AMB2414	AMB2218	AMB2216	AMB2214	AMB2016	AMB1814	AMF1816	AMF1615	AMF1413	AMS1460
	тт										
DIAMETER X DEPTH	18x16	14x12	13x10	13x9	12x9	12x8	10x8	10x7	8x7		
MODEL	AMT1614	AMT1412	AMT1310	AMT1309	AMT1209	AMT1208	AMT1008	AMT1007	AMT0807		
TOM PACK	FT	тт		тн							
AMP6F3	AMF1615	AMT1208	AMT1007	TH945B							
AMP4F3	AMF1413	AMT1208	AMT1007	TH945B							

LIVE CUSTOM

LIVE FROM THE YAMAHA FACTORY

FOR 35 YEARS WE HAVE INSPIRED PROFESSIONAL DRUMMERS WITH OUR LEGENDARY RECORDING CUSTOM DRUMS, IT IS THE MOST RECORDED DRUM SET IN HISTORY ON THE MARKET.

Now we have combined feedback from our enviable artist stable, professional sound engineers and the knowledge of our craftsmen and we are very proud to introduce the all new Live Custom series. A drum set built to satisfy the demands of a performing drummer, made from 100% Oak with a lot of new features that include a new bass drum mount, new claws, new snare strainer, four new stunning finishes, black nickel plated hardware, a thicker bass drum shell and a black finished shell interior. Live Custom is



FINISHES



Amber Shadow Sunburst



Black Shadow Sunburst



Emerald Shadow Sunburst



Black Wood

• Shell: 100% Oak (8-ply BD and 6-ply FT(TT/SD) – 1,2 mm per ply

• Bearing edge: 45 degree

• BD head: Front: P3 ebony with vertical Yamaha logo

Batter: 20"-24": P3 Clear / 18" Coated Ambassador

• FT/TT head: Top: Clear Emperor

Bottom: Clear Ambassador

• SD head: Top: Coated Ambassador

Bottom: Ambassador Snare

• Lugs: Absolute lugs (dark silver finished)

• Hoop: BD: Wood Hoop

FT TT SD: 2.3 mm Dyna Hoops (dark silver finished)

• Mount: Y.E.S.S. (Yamaha Enhanced Sustain System)











New BD Claw

Dark Hardware

New FT Bracket

New Strainer

SIZE	BD					
DIAMETER X DEPTH	24"x18"	22"x18"	22"x16"	20"x14"	20"x16"	18"x14"
	-	LNB2218	LNB2216	LNB2214	LNB2016	LNB1814
R VERSION WITHOUT PIPE CLAMP	LNB2418R	LNB2218R	-	-	-	-

SIZE	FT		
DIAMETER X DEPTH	18"x16"	16"x15"	14"x13"
	LNF1816	LNF1615	LNF1413

SIZE	TT	SD					
DIAMETER X DEPTH	16"x13"	14"x11"	13"x9"	12"x8"	10"x7"	8"x7"	14"x5 1/2"
	LNT1613	LNT1411	LNT1309	LNT1208	LNT1007	LNT0807	LNS1455

TOM PACK	FT	TT	тн	
LNP6F3	LNF1615	LNT1208	LNT1007	TH945B
	LNT1413	LNT1208	LNT1007	TH945B

UPDATED AND REDESIGNED EDITION OF THIS CLASSIC DRUM SERIES









STAGE

CUSTOM

BIRCH

SPECIFICATIONS

• Shell: All Birch 6ply

• BD head: Front: Ebony P3 type

Batter: Clear P3 type

• FT/TT head: Top: Clear Ambassador

Bottom: Clear Diplomat

• SD head: Top: Coated Ambassador

Bottom: Snare Ambassador

Lug: Seperate lug (Absolute lug)

• Hoop: Triple flange hoop (1.5mm) (TT/FT/SD)

Wood hoop (BD)

• Tom Mount: Y.E.S.S. (Yamaha Enhanced Sustain System)

FINISHES



Natural Wood



Raven Black



Cranberry Red



Honey Amber



Pure White

SPECIAL FEATURES



Y.E.S.S Tom Mount



Die-Cast Bass Drum Hooks




New Designed Bass Drum Legs



Snare Drum with 10 Tension Rods

TAKES YOU TO NEW LEVELS

The Yamaha **GIGMAKER** drum kit is a not only great place to begin drumming but it has been designed to take you to the next level. The **GIGMAKER** doesn't just look good with it's sparkle colour finishes; the 5-piece drum set has been designed to be versatile for any style of music. It is available in two configurations and matched with Yamaha's built to last double braced hardware.









SILVER GLITTER



BLUE ICE GLITTER






■ WHITE GRAPE GLITTER



BURGUNDY GLITTER

THE RETURN OF A LEGEND. Yamaha Drums proudly introduces the HEXRACKII.

Our new versions of the hexagonal rack give you 100% compatibility with the first generation of HEXRACK, but with a MUCH LOWER PRICE. **HEXRACKII** provides huge flexibility and there are no creative limits in setting up stunning and eye-catching drumsets. Not only is the **HEXRACKII** more affordable than ever before, it is also much lighter in weight due to it being made of high-strength aluminum.



HXCP44II, HXCP36II, HXCP24II curved pipes



HXTL30II, HXTL23II T-shaped leg for HEXRACKII



HXR2LII



HXR2LII + HXREXII

неэснаскі








HXCCII The cross clamp is used to connect two hexagonal tubes at 90-degree angles (for example, to connect a leg tube with a tube that has been horizontally set).



HXTCII This clamp attaches a tom clamp (CL945B, etc.) or cymbal holder (CH755, etc.) to the hex-shaped pipe and is compatible with 22.2 mm diameter pipes. Its vertical angle is freely adjustable.

YAMAHA FOOTPEDALS - FEEL, SPEED AND RELIABLE QUALITY

In close cooperation with international top artists Yamaha have created a series of new foot pedals. Equipped with a new frame structure, an additional sub-frame, the pedals deliver greater stability and durability. Drummers will experience smoother and more stable movement. Improved bearings, foot plate, bass drum hoop clamp and beater sum up the new fresh appearance of the FP9500 & FP8500 pedals. Available with direct- or double chain drive. FP9500D and DFP9500D have direct drive. The pedals each come in handy protective soft bags. The base plate can be folded up, allowing space-saving storage of the pedals.











Double Foot Pedal, Drive: double-chain, base plate



FP9500C

Single Foot Pedal, Drive: double-chain, slim base plate


















BT610A

BT810A

BT912

BT914

■ DFP9500C

Double Foot Pedal Drive: double-chain, slim base plate

DFP9500CL

Ditto but left-foot version



DFP9500D

Double Foot Pedal, Drive: direct drive, slim base plate



FP7210∧

The extremely affordable alternative, without having to sacrifice the typical Yamaha hardware quality.

Single Foot Pedal, Drive: chain, no base plate







HI-HAT STANDS



HS1200D 2 legs, double braced, direct drive, spike

HS1200T 2 legs, double braced, toggle drive, spike











HS650A









SNARE STANDS SS950 Double braced with ball joint & spikes SS850 Double braced SS740 \ Single braced SS662 For 12" Snares single braced



SS950

SS850

SS740A

SS662

TOM HOLDERS



DRUM STOOLS



YAMAHA OFFERS A VARIETY OF PRE-PACKED HARDWARE SETS.



HW880 DOUBLE BRACED

Consists of: 2x CS865 Cymbal Boom stand HS850 HiHat stand SS850 Snare stand FP8500C double chain drive pedal



HW680W DOUBLE BRACED LIGHT WEIGHTED VERSION

Consists of: 2x CS665 Cymbal Boom stand HS650W HiHat stand SS650W Snare stand FP7210A chain drive pedal



HARDWARE PACKAGES


SINGLE BRACED Consists of:

Consists of: 2x CS755 Cymbal Boom stand HS740 HiHat stand SS740 Snare stand FP7210A chain drive pedal



HW680 SINGLE BRACED LIGHT WEIGHTED VERSION

Consists of: 2x CS665 Cymbal Boom stand HS650 HiHat stand SS650 Snare stand FP6110 belt drive pedal









EUROPE.YAMAHA.COM

Yamaha Music Europe GmbH, Siemensstraße 22-34, 25462 Rellingen, Germany
Yamaha Music Europe GmbH, Branch Switzerland in Zurich, Seefeldstrasse 94, 8008 Zürich, Switzerland
Yamaha Music Europe GmbH, Branch Austria, Schleiergasse 20, 1100 Wien, Austria
Yamaha Music Europe, Branch Benelux, Clarissenhof 5b, 4133 AB Vianen, The Netherlands
Yamaha Music Europe GmbH Sp.z o.o. Oddzial w Polsce, ul. 17 Stycznia 56, 02-146 Warszawa, Poland
Yamaha Music Europe GmbH (UK), Sherbourne Drive, Tilbrook, Milton Keynes, MK7 8BL, United Kingdom
Yamaha Music Europe, 7 rue Ambroise Croizat, Zone d'activités Pariest, 77183 Croissy-Beaubourg, France
Yamaha Music Europe GmbH Germany filial Scandinavia, JA Wettergrensgata 1, 421 30 Västra Frölunda, Sweden
Yamaha Music Europe GmbH, Tyskland – filial Denmark, Generatorvej 6A, 2730 Herlev, Denmark
Yamaha Music Europe GmbH Germany - Norwegian Branch, Grini Naeringspark 1, 1332 Österas, Norway
Yamaha Music Europe GmbH Ibérica, Sucursal en España, Ctra.de la Coruna Km. 17,200, 28231 Las Rozas (Madrid), Spain
Yamaha Music Europe GmbH, Branch Italy, Viale Italia 88, 20020 Lainate (Milano), Italy
Yamaha Music Europe GmbH, Turkey/Spring Giz Plaza, Maslak Meydan Sokak No:5, Bagimsiz Böl.No:3, Sisli/Istanbul, Turkey

